

# Active Recombinant Human TNFRSF1A Protein, His & Avi-tagged, Biotinylated

**Cat. No.** TNFRSF1A-3190H    **Lot. No.** (See product label)

## SPECIFICATION

<b>Product Overview</b>	Biotinylated Recombinant Human TNFRSF1A Protein (Ile 22 - Thr 211) (NP_001056), fused with an Avi tag at the C-terminus, followed by a polyhistidine tag, was expressed in HEK293.
<b>Species</b>	Human
<b>Source</b>	HEK293
<b>ProteinLength</b>	Ile 22 - Thr 211
<b>Form</b>	Lyophilized from sterile PBS, pH7.4, 10% trehalose.
<b>Bio-activity</b>	Immobilized Human TNF-alpha, Tag Free at 5µg/mL (100 µL/well) can bind Biotinylated Human TNFR1, His Tag with a linear range of 2.4-78 ng/mL.
<b>Molecular Mass</b>	Recombinant Human TNFRSF1A Protein has a calculated MW of 23.9 kDa. The protein migrates as 35-40 kDa on a SDS-PAGE gel under reducing (R) condition due to different glycosylation.
<b>Endotoxin</b>	Less than 1.0 EU per µg by the LAL method.
<b>Purity</b>	>95% as determined by SDS-PAGE.
<b>Stability</b>	Samples are stable for up to twelve months from date of receipt at -70°C.

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Storage</b>	Store it under sterile conditions at -20°C~-70°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
<b>Reconstitution</b>	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
<b>Conjugation</b>	Biotin
<b>GENE INFORMATION</b>	
<b>Gene Name</b>	TNFRSF1A tumor necrosis factor receptor superfamily, member 1A [ Homo sapiens ]
<b>Official Symbol</b>	TNFRSF1A
<b>Synonyms</b>	TNFRSF1A; tumor necrosis factor receptor superfamily, member 1A; TNFR1; tumor necrosis factor receptor superfamily member 1A; CD120a; TNF R; TNF R I; TNF R55; TNFAR; TNFR60; TNF-R1; TNF-RI; TNFR-I; tumor necrosis factor-alpha receptor; tumor necrosis factor receptor type 1; tumor necrosis factor binding protein 1; tumor necrosis factor receptor 1A isoform beta; FPF; p55; p60; TBP1; TNF-R; p55-R; TNFR55; TNF-R-I; TNF-R55; MGC19588;
<b>Gene ID</b>	7132
<b>mRNA Refseq</b>	NM_001065
<b>Protein Refseq</b>	NP_001056
<b>MIM</b>	191190
<b>UniProt ID</b>	P19438

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Chromosome Location</b>	12p13.2
<b>Pathway</b>	Adipocytokine signaling pathway, organism-specific biosystem; Adipocytokine signaling pathway, conserved biosystem; Alzheimers disease, organism-specific biosystem; Alzheimers disease, conserved biosystem; Amyotrophic lateral sclerosis (ALS), organism-specific biosystem; Amyotrophic lateral sclerosis (ALS), conserved biosystem; Apoptosis, organism-specific biosystem;
<b>Function</b>	protease binding; protein binding; receptor activity; tumor necrosis factor binding; tumor necrosis factor-activated receptor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA