

Recombinant Human TNFRSF25 Protein, Fc-tagged

Cat. No. TNFRSF25-205H Lot. No. (See product label)

SPECIFICATION

Product Overview Recombinant human TNFRSF25 protein with Fc tag was expressed in HEK293.

Species Human

Source HEK293

ProteinLength 417

Description

The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is expressed preferentially in the tissues enriched in lymphocytes, and it may play a role in regulating lymphocyte homeostasis. This receptor has been shown to stimulate NF-kappa B activity and regulate cell apoptosis. The signal transduction of this receptor is mediated by various death domain containing adaptor proteins. Knockout studies in mice suggested the role of this gene in the removal of self-reactive T cells in the thymus. Multiple alternatively spliced transcript variants of this gene encoding distinct isoforms have been reported, most of which are potentially secreted molecules. The alternative splicing of this gene in B and T cells encounters a programmed change upon T-cell activation, which predominantly produces full-length, membrane bound isoforms, and is thought to be involved in controlling lymphocyte proliferation induced by T-cell activation.

Form Lyophilized

Molecular Mass 45.5 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AA Sequence	MEQRPRGCAAVAAALLLVLLGARAQGGTRSPRCDCAGDFHKKIGLFCCRGCPAGH YLKAPCTEPCGNSTCLVCPQDTFLAWENHHNSECARCQACDEQASQVALENC SAV ADTRCGCKPGWFVECQVSQCVSSSPFYCQPCLDCGALHRHTRLLCSRRDTCGT CLPGFYEHDGCVSPTSTLGSPPERCAAVCGWRQMFVWQVLLAGLVVPLLLGAT LTYTYRHCVPHKPLVTADEAGMEALTPPPATHLSPLDSAHTLLAPPDSSEKICTVQL VGNSWTPGYPETQEALCPQVTWSWDQLPSRALGPAAAPTLSPE SPAGSPAMMLQ PGPQLYDVMDAVPARRWKEFVRTLGLREAEIEAVEVEIGRFRDQQYEMLKRWRQQ QPAGLGAVYAALERMGLDGCVEDLRSRLQRGP
Purity	> 98%
Applications	WB; ELISA; FACS; FC
Stability	This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.
Storage	At -20 centigrade.
Concentration	1 mg/mL
Storage Buffer	PBS (pH 7.4-7.5). Sterile-filtered colorless solution.
Reconstitution	Reconstitute in sterile distilled H2O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

GENE INFORMATION

Gene Name	TNFRSF25 tumor necrosis factor receptor superfamily, member 25 [Homo sapiens
------------------	---

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	(human)]
Official Symbol	TNFRSF25
Synonyms	TNFRSF25; tumor necrosis factor receptor superfamily, member 25; TNFRSF12, tumor necrosis factor receptor superfamily, member 12 (translocating chain association membrane protein); tumor necrosis factor receptor superfamily member 25; APO 3; DDR3; DR3; LARD; TR3; TRAMP; WSL 1; WSL LR; protein WSL-1; death receptor beta; apoptosis inducing receptor; apoptosis-inducing receptor AIR; apoptosis-mediating receptor DR3; apoptosis-mediating receptor TRAMP; death domain receptor 3 soluble form; lymphocyte-associated receptor of death; tumor necrosis factor receptor superfamily, member 12 (translocating chain-association membrane protein); APO-3; WSL-1; WSL-LR; TNFRSF12;
Gene ID	8718
mRNA Refseq	NM_001039664
Protein Refseq	NP_001034753
MIM	603366
UniProt ID	Q93038

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA