

## Recombinant Rhesus Monkey TNFRSF8 Protein

Cat. No. TNFRSF8-1691R Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Rhesus monkey TNFRSF8 Protein (XP_011725133 ( aa.29-393)) was expressed in human HEK293 cells.
<b>Species</b>	Rhesus macaque
<b>Source</b>	HEK293
<b>ProteinLength</b>	29-393 a.a.
<b>Description</b>	CD30, also known as TNFRSF8, is a member of the tumor necrosis factor receptor family. Its interaction with ligands TNFSF8/CD30L may play a role in the regulation of cellular growth and transformation of activated lymphoblasts. It also regulates gene expression through activation of NF-kappa-B. CD30 is expressed by activated, but not by resting, T and B cells. CD30 is associated with anaplastic large cell lymphoma, expressed in embryonal carcinoma but not in seminoma and is thus a useful marker in distinguishing between these germ cell tumors. It also expressed on classical Hodgkin Lymphoma Reed-Sternberg cells.
<b>Form</b>	PBS, pH7.4.
<b>Purity</b>	> 95 %
<b>Applications</b>	ELISA; WB; Immunogen
<b>Storage</b>	-80 centigrade, Avoid freeze/thaw cycle.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Concentration** 1 mg/mL

## GENE INFORMATION

**Gene Name** TNFRSF8 TNF receptor superfamily member 8 [ *Macaca nemestrina* (pig-tailed macaque) ]

**Official Symbol** TNFRSF8

**Synonyms** TNFRSF8; tumor necrosis factor receptor superfamily; member 8; CD30; D1S166E; tumor necrosis factor receptor superfamily member 8; KI 1; Ki-1 antigen; CD30L receptor; cytokine receptor CD30; lymphocyte activation antigen CD30; CD30; Ki-1; D1S166E;

**Gene ID** 105473175

**mRNA Refseq** XM\_011726831

**Protein Refseq** XP\_011725133

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA