

Recombinant Human TNFRSF8 protein, His-tagged

Cat. No. TNFRSF8-2788H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human TNFRSF8 protein(19-246 aa), fused to His tag, was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	19-246 aa
Form	The purified protein was Lyophilized from sterile PBS (58mM Na ₂ HPO ₄ , 17mM NaH ₂ PO ₄ , 68mM NaCl, pH7.4). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 300mM imidazole.
AA Sequence	MFPQDRPFEDTCHGNPSHYDCAVRRCCYRCMGLFPTQQCPQRPTDCRKQCEP DYYLDEADRCTACVTCRDDLVEKTPCAWNSSRVCECRPGMFCSTSAVNSCARCF FHSVCPAGMIVKFPGTAQKNTVCEPASPGVSPACASPENCKEPSSGTIPQAKPTPV SPATSSASTMPVRRGGTRLAQEAASKLTRAPDSPSSVGRPSSDPGLSPTQPCPEGS GDCRKQCEP
Purity	90%, by SDS-PAGE with Coomassie Brilliant Blue staining.
Storage	Short-term storage: Store at 2-8°C for (1-2 weeks). Long-term storage: Aliquot and store at -20°C to -80°C for up to 3 months, buffer containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Reconstitution

Reconstitute at 0.25 g/μl in 200 μl sterile water for short-term storage.
 Reconstitution with 200 μl 50% glycerol solution is recommended for longer term storage.

GENE INFORMATION

Gene Name

TNFRSF8 tumor necrosis factor receptor superfamily, member 8 [Homo sapiens]

Official Symbol

TNFRSF8

Synonyms

TNFRSF8; tumor necrosis factor receptor superfamily, member 8; CD30, D1S166E; tumor necrosis factor receptor superfamily member 8; KI 1; Ki-1 antigen; CD30L receptor; cytokine receptor CD30; lymphocyte activation antigen CD30; CD30; Ki-1; D1S166E;

Gene ID

943

mRNA Refseq

NM_001243

Protein Refseq

NP_001234

MIM

153243

UniProt ID

P28908

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA