

Recombinant Rat TNFSF11 (RANKL)

Cat. No. TNFSF11-59R Lot. No. (See product label)

SPECIFICATION

Product Overview Mouse RANKL was produced in yeast and therefore does not have endotoxin, is naturally folded, and post-translationally modified.

Species Rat

Source Yeast

Description Tumor necrosis factor ligand superfamily member 11 (TNFSF11) also known as Receptor Activator of Nuclear factor Kappa-B Ligand (RANKL), TNF-related activation-induced cytokine (TRANCE), osteoprotegerin ligand (OPGL), and osteoclast differentiation factor (ODF) is a member of the tumor necrosis factor ligand (TNF) ligand family. Nineteen cytokines have been identified as part of the TNF family on the basis of sequence, functional, and structural similarities. Family members include TNF beta (TNFSF1), TNF alpha (TNFSF2), Lymphotoxin beta (TNFSF3), OX40 Ligand (TNFSF4), CD40 Ligand (TNFSF5), Fas Ligand (TNFSF6), CD27 Ligand (TNFSF7), CD30 Ligand (TNFSF8), 4-1BB Ligand (TNFSF9), TRAIL (TNFSF10), TRANCE/RANKL (TNFSF11), TWEAK (TNFSF12), APRIL(TNFSF13), BAFF (TNFSF13B), LIGHT (TNFSF14), TL1A/VEGI (TNFSF15), and GITR Ligand (TNFSF18). RANKL regulates bone remodelling and the development of the thymus, lymph nodes and mammary glands. Overproduction of RANKL is implicated in a variety of degenerative bone diseases, such as rheumatoid arthritis and psoriatic arthritis.

Form Lyophilized

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Molecular Mass	19.8 kDa
AA Sequence	FSGVPAMMEG SWLDVARRGK PEAQPFAHLT INAANIPSGS HKVSLSSWYH DRGWAKISNM TLSNGKLRVN QDGFYYLYAN ICFRHHETSG SVPADYLQLM VYVVKTSIKI PSSHNLMKGG STKNWSGNSE FHFYSINVGG FFKLRAGEEI SVQVSNPSSL DPDQDATYFG AFKVQDID (178)
Applications	The Rat RANKL protein can be used in cell culture, as an RANKL ELISA Standard, and as a Western Blot Control.
Storage	-20 C
GENE INFORMATION	
Gene Name	Tnfsf11 tumor necrosis factor (ligand) superfamily, member 11 [Rattus norvegicus]
Official Symbol	TNFSF11
Synonyms	TNFSF11; tumor necrosis factor (ligand) superfamily, member 11; tumor necrosis factor ligand superfamily member 11; ODF; OPGL; TRANCE; osteoprotegerin ligand; osteoclast differentiation factor; TNF-related activation-induced cytokine; receptor activator of nuclear factor kappa B ligand; receptor activator of nuclear factor kappa-B ligand; RANKL;
Gene ID	117516
mRNA Refseq	NM_057149
Protein Refseq	NP_476490
Pathway	Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



cytokine receptor interaction, conserved biosystem; Osteoblast, organism-specific biosystem; Osteoclast, organism-specific biosystem; Osteoclast differentiation, organism-specific biosystem; Osteoclast differentiation, conserved biosystem; Rheumatoid arthritis, organism-specific biosystem;

Function

cytokine activity; cytokine activity; receptor activity; tumor necrosis factor receptor binding; tumor necrosis factor receptor superfamily binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA