

# Active Recombinant Human Tumor Necrosis Factor (Ligand) Superfamily, Member 13

**Cat. No.** TNFSF13-351H    **Lot. No.** (See product label)

## SPECIFICATION

<b>Product Overview</b>	Recombinant human TNFSF13 was expressed in Hi-5 Insect cells and purified by using conventional chromatography techniques.
<b>Species</b>	Human
<b>Source</b>	Human
<b>Description</b>	<p>APRIL, a member of the TNF superfamily, is expressed in monocytes, macrophages, certain transformed cell lines, certain cancers of colon, and lymphoid tissues. APRIL, along with another TNF family member, BAFF, compete for two receptors, TACI and BCMA. APRIL has the ability to stimulate proliferation of various tumor cell lines including Jurkat T cells and MCF-7 carcinoma cells. Like BAFF, APRIL also stimulates the proliferation of B and T cells. The human APRIL gene codes for at least four alternatively spliced transcriptional variants, which give rise to different isoforms of the APRIL precursor protein. All isoforms can be cleaved by the protease, furin, to release a soluble C-terminal fragment, which comprises the TNF like receptor binding of the APRIL precursor.</p>
<b>Form</b>	Supplied as a lyophilized powder
<b>Purity</b>	>95% pure by SDS PAGE and HPLC
<b>Sequence</b>	Region of APRIL protein corresponding to amino acids AVLTQKQKKQ HSVLHLVPIN ATSKDDSDVT EVMWQPALRR GRGLQAQGYG VRIQDAGVYL LYSQVLFQDV

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

TFTMGQVVSR EGQGRQETLF RCIRSMPSHP DRAYNSCYSA GVFHLHQGDI  
LSVIIPRARA KLNLSPHGTF LGFVKL.

**Molecular Mass** 16.3 kDa

**Applications** Numerous applications are possible with this product and should be tested by the end user under their own laboratory conditions

**Endotoxin Levels** Endotoxin level is less than 0.1 ng per ug (1 EU/ug).

**Bioactivity** Tested by its ability to induce IgM secretion by CpG/CD40L treated human naive B cells, at a concentration of 500ng/ml.

**Storage** Store at 4 deg C until reconstitution. Following reconstitution aliquot and freeze at -20 deg C for long term storage. Avoid repeated freeze/thaw cycles.

## GENE INFORMATION

**Gene Name** TNFSF13 tumor necrosis factor (ligand) superfamily, member 13 [ Homo sapiens ]

**Official Symbol** TNFSF13

**Synonyms** TNFSF13; CD256; TALL2; TRDL-1; ligand; UNQ383/PRO715; TALL-2; TNF-related death ligand 1; a proliferation inducing ligand; a proliferation-inducing ligand; tumor necrosis factor-related death ligand-1; TNF- and APOL-related leukocyte expressed ligand 2; tumor necrosis factor ligand superfamily member 13 epsilon; tumor necrosis factor (ligand) superfamily member 13 transcript variant delta

**Gene ID** 8741

**mRNA Refseq** NM\_003808

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Protein Refseq</b>	NP_003799
<b>MIM</b>	604472
<b>UniProt ID</b>	O75888
<b>Chromosome Location</b>	17p13.1
<b>Pathway</b>	Cytokine-cytokine receptor interaction; Intestinal immune network for IgA production; Metabolism of RNA; Regulation of mRNA Stability by Proteins that Bind AU-rich Elements; Rheumatoid arthritis; Stabilization of mRNA by HuR
<b>Function</b>	cytokine activity; receptor binding; tumor necrosis factor receptor binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA