

Recombinant Human TNFSF18 protein

Cat. No. TNFSF18-30483TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human TNFSF18(72-199 aa) was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	72-199 a.a.
Description	TNFSF18, also known as GITRL, belongs to the tumor necrosis factor(TNF) ligand family. This cytokine is a ligand for receptor TNFRSF18/AITR/GITR. It is Important for interactions between activated T-lymphocytes and endothelial cells and may modulate T-lymphocyte survival in peripheral tissues. This cytokine is also found to be expressed in endothelial cells, and is thought to be important for interaction between T lymphocytes and endothelial cells. Recombinant human TNFSF18 protein was expressed in E.coli and purified by conventional chromatography, after refolding of the isolated inclusion bodies in a renaturation buffer.
Form	Liquid. In 10mM sodium citrate (pH 3.5), 10% glycerol, 1mMDTT
Molecular Mass	14.6kDa (129aa), confirmed by MALDI-TOF
AA Sequence	MQLETAKEPC MAKFGPLPSK WQMASSEPPC VNKVSDWKLE ILQNGLYLIY GQVAPNANYN DVAPFEVRLY KNKDMIQTLT NKSKIQNVGG TYELHVGDTI DLIFNSEHQV LKNNTYWGII LLANPQFIS

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 90% by SDS - PAGE
Storage	Can be stored at +4C short term (1-2 weeks). For long term storage, aliquot and store at -20C or -70C. Avoid repeated freezing and thawing cycles.
Concentration	0.5mg/ml (determined by Bradford assay)

GENE INFORMATION

Gene Name	TNFSF18 tumor necrosis factor (ligand) superfamily, member 18 [Homo sapiens]
Official Symbol	TNFSF18
Synonyms	TNFSF18; tumor necrosis factor (ligand) superfamily, member 18; tumor necrosis factor ligand superfamily member 18; AITRL; hGITRL; TL6; AITR ligand; GITR ligand; activation-inducible TNF-related ligand; glucocorticoid-induced TNF-related ligand; glucocorticoid-induced TNFR-related protein ligand; GITRL; MGC138237;
Gene ID	8995
mRNA Refseq	NM_005092
Protein Refseq	NP_005083
MIM	603898
UniProt ID	Q9UNG2
Chromosome Location	1q23
Pathway	Cytokine-cytokine receptor interaction, organism-specific biosystem; Cytokine-

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



cytokine receptor interaction, conserved biosystem;

Function

cytokine activity; receptor binding; tumor necrosis factor receptor binding; tumor necrosis factor receptor superfamily binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA