

Active Recombinant Human TNFSF18 Protein, Fc-Avi-tagged, Biotinylated

Cat. No. TNFSF18-38H Lot. No. (See product label)

SPECIFICATION

Product Overview	Biotinylated Human GITR Ligand, Fc Tag, Avi Tag is expressed from HEK293 cells. It contains AA Gln 50 - Ser 177 (Accession # AAH69319.1). This protein carries an Avi tag at the N-terminus, followed by a human IgG1 Fc tag.
Species	Human
Source	HEK293
ProteinLength	50-177 a.a.
Predicted N Terminal	Gly
Form	Lyophilized from 0.22 um filtered solution in 50 mM Tris, 100 mM Glycine, pH7.5, 10% trehalose.
Bio-activity	Immobilized Human GITR, Fc Tag at 2 ug/mL (100 uL/well) can bind Biotinylated Human GITR Ligand, Fc Tag, Avi Tag with a linear range of 3.9-62.5 ug/mL.
Molecular Mass	The protein has a calculated MW of 43.5 kDa. The protein migrates as 45-53 kDa under reducing condition (SDS-PAGE) due to glycosylation.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Purity	>95% as determined by SDS-PAGE.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Characteristic	Biotinylation of this product is performed using Avitag technology. Briefly, the single lysine residue in the Avitag is enzymatically labeled with biotin. The biotin to protein ratio is 0.5-1 as determined by the HABA assay.
Stability	Samples are stable for up to twelve months from date of receipt at -70°C.
Storage	For long term storage, the product should be stored at lyophilized state at -20°C or lower. Please avoid repeated freeze-thaw cycles. No activity loss is observed after storage at: 4-8°C for 12 months in lyophilized state; -70°C for 3 months under sterile conditions after reconstitution.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
Conjugation	Biotin

GENE INFORMATION

Gene Name	TNFSF18 tumor necrosis factor (ligand) superfamily, member 18 [Homo sapiens]
Official Symbol	TNFSF18
Synonyms	TNFSF18; tumor necrosis factor (ligand) superfamily, member 18; tumor necrosis factor ligand superfamily member 18; AITRL; hGITRL; TL6; AITR ligand; GITR ligand; activation-inducible TNF-related ligand; glucocorticoid-induced TNF-related ligand; glucocorticoid-induced TNFR-related protein ligand; GITRL; MGC138237;
Gene ID	8995
mRNA Refseq	NM_005092

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Protein Refseq NP_005083

MIM 603898

UniProt ID Q9UNG2

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA