

Recombinant Human TNFSF4 Protein, Fc-tagged

Cat. No. TNFSF4-689H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant human TNFSF4 protein with Fc tag was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	183
Description	This gene encodes a cytokine of the tumor necrosis factor (TNF) ligand family. The encoded protein functions in T cell antigen-presenting cell (APC) interactions and mediates adhesion of activated T cells to endothelial cells. Polymorphisms in this gene have been associated with Sjogren's syndrome and systemic lupus erythematosus. Alternative splicing results in multiple transcript variants.
Form	Lyophilized
Molecular Mass	42.9 kDa
AA Sequence	MERVQPLEENVGNAARPRFERNKLLLVASVIQGLGLLLCFTYICLHFSALQVSHRYP RIQSIKVFTEYKKEKGFILTSQKEDEIMKVQNNNSVIINCDGFYLISLKGYSQEVNISL HYQKDEEPLFQLKKVRSVNSLMVASLTYKDKVYLNVTDDNTSLDDFHVNGGELILIH QNPGEFCVL
Purity	> 98%

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	WB; ELISA; FACS; FC
Stability	This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.
Storage	At -20 centigrade.
Concentration	1 mg/mL
Storage Buffer	PBS (pH 7.4-7.5). Sterile-filtered colorless solution.
Reconstitution	Reconstitute in sterile distilled H2O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.
GENE INFORMATION	
Gene Name	TNFSF4 tumor necrosis factor (ligand) superfamily, member 4 [Homo sapiens (human)]
Official Symbol	TNFSF4
Synonyms	TNFSF4; tumor necrosis factor (ligand) superfamily, member 4; tax transcriptionally activated glycoprotein 1, 34kD , TXGP1; tumor necrosis factor ligand superfamily member 4; CD252; gp34; OX 40L; OX40L; CD134 ligand; glycoprotein Gp34; OX40 antigen ligand; TAX transcriptionally-activated glycoprotein 1; tax-transcriptionally activated glycoprotein 1 (34kD); GP34; OX4OL; TXGP1; CD134L; OX-40L;
Gene ID	7292

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



mRNA Refseq	NM_003326
Protein Refseq	NP_003317
MIM	603594
UniProt ID	P23510

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA