

# Recombinant Human TNFSF8 Protein (K166A+I168A+K169A), His-tagged

**Cat. No.** TNFSF8-21H    **Lot. No.** (See product label)

## SPECIFICATION

<b>Product Overview</b>	Recombinant Human TNFSF8 Protein (K166A+I168A+K169A) with a His tag was expressed in HEK293.
<b>Species</b>	Human
<b>Source</b>	HEK293
<b>Description</b>	The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor (TNF) ligand family. This cytokine is a ligand for TNFRSF8/CD30, which is a cell surface antigen and a marker for Hodgkin lymphoma and related hematologic malignancies. The engagement of this cytokine expressed on B cell surface plays an inhibitory role in modulating Ig class switch. This cytokine was shown to enhance cell proliferation of some lymphoma cell lines, while to induce cell death and reduce cell proliferation of other lymphoma cell lines. The pleiotropic biologic activities of this cytokine on different CD30+ lymphoma cell lines may play a pathophysiologic role in Hodgkin's and some non-Hodgkin's lymphomas. Two transcript variants encoding different isoforms have been found for this gene.
<b>Form</b>	Lyophilized
<b>Molecular Mass</b>	The protein has a calculated MW of 22.3 kDa.
<b>AA Sequence</b>	MHHHHHHHHHHGGGGSGGGSGGGSI EGRQRTDSIPNSPDNVPLKGGNCSEDLLCIL KRAPFKKSWAYLQVAKHLNKT KLSWNKDGILHGVR YQDGNLVIQFPGLYFIICQLQF

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

LVQCPNNSVDLKLELLINAHAAKQALVTVCESGMQTKHVYQNLSQFLLDYLQVNTTI  
SVNVDTFQYIDTSTFPLENVLSIFLYSNSD

**Endotoxin** <1 EU/μg

**Purity** >90% by SDS-PAGE

**Storage** Store it under sterile conditions at -20 to -80 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

**Storage Buffer** PBS pH7.4

## GENE INFORMATION

**Gene Name** TNFSF8 TNF superfamily member 8 [ Homo sapiens (human) ]

**Official Symbol** TNFSF8

**Synonyms** TNFSF8; TNF superfamily member 8; tumor necrosis factor ligand superfamily member 8; CD153 antigen; CD30 antigen ligand; CD30 ligand; CD30-L; tumor necrosis factor (ligand) superfamily, member 8; tumor necrosis factor ligand 3A; tumor necrosis factor superfamily member 8

**Gene ID** 944

**mRNA Refseq** NM\_001244

**Protein Refseq** NP\_001235

**MIM** 603875

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID

P32971

SDS-PAGE



Reducing 12% SDS-PAGE and WB analysis profile of purified K166A+  
I168A+K169A

1. K166A+ I168A+K169A
2. BSA

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA