

Recombinant Human TRAF6 Protein, His-tagged

TRAF6-555H Human

Lot. No. (See product label)

Specification

Product Overview

Recombinant Human TRAF6(Ala153~Pro423) fused with His tag at N-terminal was expressed in E. coli.

Description

The protein encoded by this gene is a member of the TNF receptor associated factor (TRAF) protein family. TRAF proteins are associated with, and mediate signal transduction from, members of the TNF receptor superfamily. This protein mediates signaling from members of the TNF receptor superfamily as well as the Toll/IL-1 family. Signals from receptors such as CD40, TNFSF11/RANCE and IL-1 have been shown to be mediated by this protein. This protein also interacts with various protein kinases including IRAK1/IRAK, SRC and PKCzeta, which provides a link between distinct signaling pathways. This protein functions as a signal transducer in the NF-kappaB pathway that activates I kappa B kinase (IKK) in response to proinflammatory cytokines. The interaction of this protein with UBE2N/UBC13, and UBE2V1/UEV1A, which are ubiquitin conjugating enzymes catalyzing the formation of polyubiquitin chains, has been found to be required for IKK activation by this protein. This protein also interacts with the transforming growth factor (TGF) beta receptor complex and is required for Smad-independent activation of the JNK and p38 kinases. This protein has an amino terminal RING domain which is followed by four zinc-finger motifs, a central coiled-coil region and a highly conserved carboxyl terminal domain, known as the TRAF-C domain. Two alternatively spliced transcript variants, encoding an identical protein, have been reported.

Source

E. coli

Species

Human

Tag

His

Form

PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.

Molecular Mass

35.2kDa

Protein length

Ala153~Pro423

Endotoxin

<1.0EU per 1µg (determined by the LAL method)

Purity

>95%

Applications

Positive Control; Immunogen; SDS-PAGE; WB.
If bio-activity of the protein is needed, please check active protein.

Stability

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration

For Research Use Only

Creative BioMart. All rights reserved

45-1 Ramsey Road, Shirley, NY 11967, USA

Tel: +1-631-559-9269 Fax: +1-631-938-8127

E-mail: info@creative-biomart.com

www.creativebiomart.net

date under appropriate storage condition.

Storage

Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.

Reconstitution

Reconstitute in PBS or others.

Gene Information**Gene Name**

[TRAF6 TNF receptor-associated factor 6, E3 ubiquitin protein ligase \[Homo sapiens \]](#)

Official Symbol

[TRAF6](#)

Synonyms

TRAF6; TNF receptor-associated factor 6, E3 ubiquitin protein ligase; TNF receptor associated factor 6; TNF receptor-associated factor 6; RNF85; RING finger protein 85; interleukin-1 signal transducer; E3 ubiquitin-protein ligase TRAF6; MGC:3310;

Gene ID

[7189](#)

mRNA Refseq

[NM_004620](#)

Protein Refseq

[NP_004611](#)

MIM

[602355](#)

UniProt ID

[Q9Y4K3](#)

For Research Use Only

[Creative BioMart](#). All rights reserved

45-1 Ramsey Road, Shirley, NY 11967, USA

Tel: +1-631-559-9269 Fax: +1-631-938-8127

E-mail: info@creative-biomart.com

www.creativebiomart.net