

Recombinant Human TRAK2 Protein, His-tagged

Cat. No. TRAK2-482H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human TRAK2 Protein (Met1-Arg320) with N-His tag was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	Met1-Arg320
Description	Predicted to enable GABA receptor binding activity and myosin binding activity. Predicted to be involved in several processes, including mitochondrion distribution; organelle transport along microtubule; and protein targeting. Predicted to be located in cytoplasm and plasma membrane. Predicted to be active in cytoplasmic vesicle; dendrite; and mitochondrion.
Form	Freeze-dried powder
Molecular Mass	Predicted Molecular Mass: 40.7 kDa Accurate Molecular Mass: 41 kDa
Purity	> 90%
Applications	Positive Control; Immunogen; SDS-PAGE; WB.
Stability	The thermal stability is described by the loss rate. The loss rate was determined by

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Storage

Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.

Storage Buffer

PBS, pH7.4, containing 0.01% SKL, 1 mM DTT, 5% Trehalose and Proclin300.

Reconstitution

Reconstitute in sterile water to a concentration of 0.1-1.0 mg/mL. Do not vortex.

GENE INFORMATION

Gene Name

TRAK2 trafficking protein, kinesin binding 2 [Homo sapiens (human)]

Official Symbol

TRAK2

Synonyms

TRAK2; trafficking protein, kinesin binding 2; ALS2CR3, amyotrophic lateral sclerosis 2 (juvenile) chromosome region, candidate 3; trafficking kinesin-binding protein 2; CALS C; gamma aminobutyric acid(A) receptor interacting factor; GRIF 1; KIAA0549; MILT2; milton homolog 2 (Drosophila); O linked N acetylglucosamine transferase interacting protein 98; OIP98; milton homolog 2; gamma-aminobutyric acid(A) receptor-interacting factor; O-linked N-acetylglucosamine transferase interacting protein 98; amyotrophic lateral sclerosis 2 (juvenile) chromosome region, candidate 3; amyotrophic lateral sclerosis 2 chromosomal region candidate gene 3 protein; GRIF1; CALS-C; GRIF-1; ALS2CR3

Gene ID


66008

mRNA Refseq

NM_015049

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Protein Refseq [NP_055864](#)

MIM [607334](#)

UniProt ID [O60296](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA