

## Recombinant Human TTN, GST-tagged

Cat. No. TTN-25H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human TTN(26827 a.a. - 26926 a.a.), fused with GST-tag at N-terminal, was expressed in wheat germ.
<b>Species</b>	Human
<b>Source</b>	Wheat Germ
<b>Description</b>	<p>This gene encodes a large abundant protein of striated muscle. The product of this gene is divided into two regions, a N-terminal I-band and a C-terminal A-band. The I-band, which is the elastic part of the molecule, contains two regions of tandem immunoglobulin domains on either side of a PEVK region that is rich in proline, glutamate, valine and lysine. The A-band, which is thought to act as a protein-ruler, contains a mixture of immunoglobulin and fibronectin repeats, and possesses kinase activity. An N-terminal Z-disc region and a C-terminal M-line region bind to the Z-line and M-line of the sarcomere, respectively, so that a single titin molecule spans half the length of a sarcomere. Titin also contains binding sites for muscle associated proteins so it serves as an adhesion template for the assembly of contractile machinery in muscle cells. It has also been identified as a structural protein for chromosomes. Alternative splicing of this gene results in multiple transcript variants. Considerable variability exists in the I-band, the M-line and the Z-disc regions of titin. Variability in the I-band region contributes to the differences in elasticity of different titin isoforms and, therefore, to the differences in elasticity of different muscle types. Mutations in this gene are associated with familial hypertrophic cardiomyopathy 9, and autoantibodies to titin are produced in patients with the autoimmune disease</p>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	scleroderma.
<b>Molecular Mass</b>	36.74 kDa
<b>AA Sequence</b>	IRGIPPKIEALPSDISIDEGKVLTVACAFTGEPTPEVTWSCGGRKIHQSSEQGRFHIENT DDLTTLIIMDVQKQDG GLYTLSLGNEFGSDSATVNIHIRSI
<b>Applications</b>	ELISA; WB-Re; AP; Array
<b>Storage</b>	Store at -80°C. Aliquot to avoid repeated freezing and thawing.
<b>Storage Buffer</b>	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
<b>GENE INFORMATION</b>	
<b>Gene Name</b>	<a href="#">TTN titin [ Homo sapiens]</a>
<b>Official Symbol</b>	TTN
<b>Synonyms</b>	TTN; titin; TMD;CMH9; CMD1G; CMPD4; EOMFC; FLJ32040; FLJ26020; FLJ26409; FLJ34413; FLJ39564;FLJ43066; HMERF; MYLK5; LGMD2J; MPRM; DKFZp451N061; connectin; OTTHUMP00000233809;OTTHUMP00000233810; rhabdomyosarcoma antigen MU-RMS-40.14; cardiomyopathy,dilated 1G (autosomal dominant); EC 2.7.11.1
<b>Gene ID</b>	<a href="#">7273</a>
<b>mRNA Refseq</b>	<a href="#">NM_003319</a>
<b>Protein Refseq</b>	<a href="#">NP_003310</a>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>MIM</b>	188840
<b>UniProt ID</b>	Q8WZ42
<b>Chromosome Location</b>	2q31
<b>Pathway</b>	Dilated cardiomyopathy; Hemostasis; Hypertrophic cardiomyopathy (HCM); Muscle contraction; Platelet activation; Platelet degranulation; Response to elevated platelet cytosolic Ca <sup>2+</sup> ;
<b>Function</b>	ATP binding; actin filament binding; alpha-actinin binding; calcium ion binding; calmodulin binding; identical protein binding; muscle alpha-actinin binding; nucleic acid binding; nucleotide binding; protein binding; protein self-association; protein serine/threonine kinase activity; protein tyrosine kinase activity; structural constituent of muscle; telethonin binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA