

Recombinant Human TXNDC5 293 Cell Lysate

Cat. No. TXNDC5-622HCL Lot. No. (See product label)

SPECIFICATION

Species	Human
Source	HEK293
Description	Antigen standard for thioredoxin domain containing 5 (TXNDC5), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.
Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	TXNDC5 thioredoxin domain containing 5 (endoplasmic reticulum) [Homo sapiens]
Official Symbol	TXNDC5
Synonyms	TXNDC5; thioredoxin domain containing 5 (endoplasmic reticulum); thioredoxin domain containing 5; thioredoxin domain-containing protein 5; EndoPDI; ERp46; FLJ21353; FLJ90810; Hcc 2; MGC3178; PDIA15; protein disulfide isomerase family A; member 15; ER protein 46; thioredoxin related protein; thioredoxin-like protein p46; endoplasmic reticulum protein ERp46; endothelial protein disulphide isomerase; endoplasmic reticulum resident protein 46; protein disulfide isomerase family A, member 15; ERP46; HCC-2; STRF8; UNQ364; ENDOPDI; FLJ21789;
Gene ID	81567
mRNA Refseq	NM_001145549
Protein Refseq	NP_001139021
UniProt ID	Q8NBS9
Chromosome Location	6p24.3
Pathway	Clathrin derived vesicle budding, organism-specific biosystem; Golgi Associated Vesicle Biogenesis, organism-specific biosystem; Lysosome Vesicle Biogenesis, organism-specific biosystem; Membrane Trafficking, organism-specific biosystem; Protein processing in endoplasmic reticulum, organism-specific biosystem; Protein

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



processing in endoplasmic reticulum, conserved biosystem; trans-Golgi Network
Vesicle Budding, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA