

## Active Recombinant Human TYRO3 protein, Fc-tagged

Cat. No. TYRO3-196H Lot. No. (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human TYRO3 protein (Ala41-Ser428), fused to human IgG1 Fc tag at C-terminus, was expressed in human 293 cells (HEK293).
<b>Species</b>	Human
<b>Source</b>	HEK293
<b>ProteinLength</b>	41-428 a.a.
<b>Description</b>	Tyrosine-protein kinase receptor TYRO3 is also known as Tyrosine-protein kinase BYK, DTK, RSE, SKY, TIF, which belongs to the protein kinase superfamily, Tyr protein kinase family and AXL/UFO subfamily. TYRO3 regulates many physiological processes including cell survival, migration and differentiation. TYRO3 activates the AKT survival pathway, including nuclear translocation of NF-kappa-B and up-regulation of transcription of NF-kappa-B-regulated genes. TYRO3 interacts (via N-terminus) with extracellular ligands TULP1 and GAS6 By similarity and also interacts with PIK3R1, this interaction increases PI3-kinase activity.
<b>Form</b>	Lyophilized from 0.22 um filtered solution in Tris with Glycine, Arginine and NaCl, pH7.5, 10% trehalose.
<b>Molecular Mass</b>	The protein has a calculated MW of 68.2 kDa. The protein migrates as 86-106 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.
<b>Endotoxin</b>	Less than 1.0 EU per ug by the LAL method.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Purity</b>	>95% as determined by SDS-PAGE.
<b>Storage</b>	<p>For long term storage, the product should be stored at lyophilized state at -20 centigrade or lower.</p> <p>Please avoid repeated freeze-thaw cycles.</p> <p>This product is stable after storage at:</p> <p>-20 centigrade to -70 centigrade for 12 months in lyophilized state;          -70 centigrade for 3 months under sterile conditions after reconstitution.</p>
<b>Reconstitution</b>	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

## GENE INFORMATION


<b>Gene Name</b>	TYRO3
<b>Official Symbol</b>	TYRO3
<b>Synonyms</b>	TYRO3; TYRO3 protein tyrosine kinase; RSE; tyrosine-protein kinase receptor TYRO3; Brt; Dtk; Sky; Tif; tyrosine-protein kinase DTK; tyrosine-protein kinase RSE; tyrosine-protein kinase SKY; tyrosine-protein kinase byk; BYK; FLJ16467
<b>Gene ID</b>	7301
<b>mRNA Refseq</b>	NM_006293
<b>Protein Refseq</b>	NP_006284
<b>MIM</b>	600341
<b>UniProt ID</b>	Q06418

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

### SDS-PAGE of TYRO3-196H



Human TYRO3, Fc Tag on SDS-PAGE under reducing (R) condition. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95%.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA