

# Recombinant Mouse Transforming Growth Factor, Beta Receptor II

**Cat. No.** Tgfr2-1778M    **Lot. No.** (See product label)

## SPECIFICATION

<b>Species</b>	Mouse
<b>Source</b>	Mammalian Cells
<b>Description</b>	Transforming growth factor beta type II (TGFbeta RII) is a key inhibitor of epithelial cell growth and tumor suppressor gene. It also regulate cell differentiation and has critical regulatory roles in the process of tissue repair and remodeling. TGF beta RII plays an important role as a tumor suppressor in non-small cell lung cancer (NSCLC) carcinogenesis.
<b>Molecular Weight</b>	The predicted molecular weight of Recombinant Mouse TGF- $\beta$ RII is Mr 44.6 kDa. However, the actual molecular weight as observed by migration on SDS Page is Mr 60-65 kDa.
<b>State Of Matter</b>	Lyophilized.
<b>Purity</b>	>95% by SDS Page and analyzed by silver stain.
<b>Endotoxin</b>	<1.0 EU/g as determined by the LAL method.
<b>Storage And Stability</b>	This lyophilized protein is stable for six to twelve months when stored desiccated at -20°C to -70°C. After aseptic reconstitution, this protein may be stored at 2°C to 8°C for one month or at -20°C to -70°C in a manual defrost freezer. Avoid Repeated Freeze Thaw Cycles.

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

## GENE INFORMATION


<b>Gene Name</b>	Tgfr2 transforming growth factor, beta receptor II [ Mus musculus ]
<b>Synonyms</b>	Tgfr2; transforming growth factor, beta receptor II; DNIIR; RIIDN; TBR-II; AU042018; TbetaRII; TbetaR-II; 1110020H15Rik
<b>Gene ID</b>	21813
<b>mRNA Refseq</b>	NM_009371
<b>Protein Refseq</b>	NP_033397
<b>UniProt ID</b>	Q62312
<b>Chromosome Location</b>	9 F3; 9 69.0 cM
<b>Pathway</b>	Adherens junction; Chronic myeloid leukemia; Colorectal cancer; Cytokine-cytokine receptor interaction; Endocytosis; MAPK signaling pathway; Pancreatic cancer; TGF-beta signaling pathway
<b>Function</b>	ATP binding; SMAD binding; kinase activity; manganese ion binding; nucleotide binding; metal ion binding; protein serine/threonine kinase activity; protein kinase activity; receptor signaling protein serine/threonine kinase activity; transferase activity; transforming growth factor beta receptor activity, type II

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

PDB rendering based  
on 1ktz.



 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA