

## Active Recombinant Rat Tgfbr2 protein(Met1-Gln166), hFc-tagged

**Cat. No.** Tgfbr2-8722R    **Lot. No.** (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Rat TGFBR2 (P38438) (Met1-Gln166) was expressed in HEK293, fused with the Fc region of Human IgG1 at the C-terminus.
<b>Species</b>	Rat
<b>Source</b>	HEK293
<b>ProteinLength</b>	Met1-Gln166
<b>Form</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization.
<b>Bio-activity</b>	Measured by its ability to bind recombinant Canine TGFB1-His in a functional ELISA.
<b>Molecular Mass</b>	The recombinant Rat TGFBR2/Fc is a disulfide-linked homodimer. The reduced monomer comprises 384 amino acids and has a predicted molecular mass of 43 kDa. The apparent molecular mass of the protein is approximately 54 kDa in SDS-PAGE under reducing conditions.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method
<b>Purity</b>	> 95 % as determined by SDS-PAGE
<b>Storage</b>	Samples are stable for up to twelve months from date of receipt at -20°C to -80°C.

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

**Reconstitution**

It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

**GENE INFORMATION****Gene Name**

[Tgfbr2 transforming growth factor, beta receptor II \[ Rattus norvegicus \]](#)

**Official Symbol**

[Tgfbr2](#)

**Synonyms**

TGFBR2; transforming growth factor, beta receptor II; TGF-beta receptor type-2; TGFR-2; tbetaR-II; TGF-beta receptor type II; TGF-beta type II receptor; transforming growth factor beta, receptor 2; transforming growth factor, beta receptor 2; transforming growth factor, beta receptor IIT; transforming growth factor-b type II receptor; transforming growth factor beta receptor type II; transforming growth factor-beta receptor type II; transforming growth factor-beta type II receptor; Tgfbr2T; TGF-beta 2;

**Gene ID**

[81810](#)

**mRNA Refseq**

[NM\\_031132](#)

**Protein Refseq**

[NP\\_112394](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA