

Active Native Human α -Thrombin

Cat. No. Thrombin-24H Lot. No. (See product label)

SPECIFICATION

Product Overview Native Human Thrombin was purified from Plasma.

Species Human

Source Plasma

Description

Alpha-thrombin is a highly specific serine protease generated by proteolytic activation of the zymogen prothrombin. During coagulation, thrombin cleaves fibrinogen to form fibrin, leading to the ultimate step in coagulation, the formation of a fibrin clot.

Thrombin is also responsible for feedback activation of the procofactors factor V and factor VIII. Thrombin has also been reported to activate factor XIII and platelets, and also functions as a vasoconstrictor protein. The procoagulant activity of thrombin is arrested in two ways: 1) inhibition by either heparin cofactor II or the antithrombin III/heparin complex; or 2) complex formation with thrombomodulin. Formation of the thrombin/thrombomodulin complex results in the inability of thrombin to cleave fibrinogen and activate factors V and VIII, but increases the efficiency of thrombin for activation of the anticoagulant, protein C. Thrombin is a two chain enzyme composed of an NH₂-terminal chain (Mr=6,000) and a COOH-terminal chain (Mr=31,000) which remain covalently associated through a single disulfide bond. Human thrombin is 13 amino acids shorter than the bovine thrombin due to a thrombin cleavage site on the human protein that is not present in the bovine protein. Thrombin is also utilized for site specific cleavage of fusion proteins expressed in bacteria. A thrombin sensitive site is incorporated between the recombinant protein of interest and peptides or proteins which facilitate purification and/or expression. The target protein is released

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



from the expressed hybrid by cleavage with thrombin. Thrombin can then be easily removed by affinity chromatography.

Form 50% glycerol/water (v/v)

Bio-activity 4493 U/mg

Molecular Mass 36700

Purity ≥95% by SDS-PAGE. NOT tissue/cell culture grade.

Storage -20 °C

Concentration 8.9 mg/mL

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA