

## Recombinant Mouse Tnfrsf4 Protein, FITC conjugated

Cat. No. Tnfrsf4-547MF Lot. No. (See product label)

### SPECIFICATION

**Product Overview** FITC conjugated recombinant Mouse Tnfrsf4 (NP\_035789.1) (Met1-Pro211) was expressed with six amino acids (LEVLFQ) at the C-terminus.

**Species** Mouse

**Source** HEK293

**ProteinLength** Met1-Pro211 199

**Description**

OX40 (CD134) and its binding partner, OX40L (CD252), are members of the tumor necrosis factor receptor/tumor necrosis factor superfamily, is known to break an existing state of tolerance in malignancies, leading to a reactivation of antitumor immunity. The interaction between OX40 and OX40L plays an important role in antigen-specific T-cell expansion and survival. OX40 and OX40L also regulate cytokine production from T cells, antigen-presenting cells, natural killer cells, and natural killer T cells, and modulate cytokine receptor signaling. In line with these important modulatory functions, OX40-OX40L interactions have been found to play a central role in the development of multiple inflammatory and autoimmune diseases, making them attractive candidates for intervention in the clinic. Conversely, stimulating OX40 has shown it to be a candidate for therapeutic immunization strategies for cancer and infectious disease.

**Form** Lyophilized

**Molecular Mass** 22.1 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>N-terminal Sequence Analysis</b>	Val 20
<b>Endotoxin</b>	< 1.0 EU/ µg protein as determined by the LAL method.
<b>Purity</b>	> 95 % as determined by SDS-PAGE
<b>Characteristic</b>	<p>Disulfide-linked homodimer</p> <p>Labeled with FITC via amines</p> <p>Excitation source: 488 nm spectral line, argon-ion laser</p> <p>Excitation Wavelength: 488 nm</p> <p>Emission Wavelength: 535 nm</p>
<b>Storage</b>	<p>Samples are stable for up to twelve months from date of receipt at -70 centigrade.</p> <p>Store it under sterile conditions at -20 to -80 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.</p>
<b>Storage Buffer</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5%-8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization.
<b>Reconstitution</b>	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 µg/µL. Centrifuge the vial at 4 centigrade before opening to recover the entire contents.
<b>Conjugation</b>	FITC

## GENE INFORMATION

<b>Gene Name</b>	Tnfrsf4 tumor necrosis factor receptor superfamily, member 4 [ Mus musculus ]
<b>Official Symbol</b>	Tnfrsf4

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



<b>Synonyms</b>	TNFRSF4; tumor necrosis factor receptor superfamily, member 4; tumor necrosis factor receptor superfamily member 4; OX40 antigen; OX40L receptor; tax-transcriptionally activated glycoprotein 1; Ox40; ACT35; CD134; Ly-70; Txgp1; TXGP1L;
<b>Gene ID</b>	<a href="#">22163</a>
<b>mRNA Refseq</b>	<a href="#">NM_011659</a>
<b>Protein Refseq</b>	<a href="#">NP_035789</a>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA