

Recombinant Mouse Tnfsf11 Protein, His-tagged

Cat. No. Tnfsf11-2138M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Mouse Tnfsf11 Protein (Ala73-Ile315) with N-His tag was expressed in E. coli.
Species	Mouse
Source	E.coli
ProteinLength	Ala73-Ile315
Description	Enables identical protein binding activity and tumor necrosis factor receptor superfamily binding activity. Involved in several processes, including intracellular signal transduction; positive regulation of secretion by cell; and tumor necrosis factor-mediated signaling pathway. Acts upstream of or within several processes, including animal organ development; cellular response to cytokine stimulus; and positive regulation of intracellular signal transduction. Predicted to be located in cytoplasm; extracellular space; and plasma membrane. Predicted to be integral component of membrane. Is expressed in genitourinary system; hemolymphoid system; hindlimb long bone; and lymphatic system. Used to study autosomal recessive osteopetrosis 2 and osteoporosis. Human ortholog(s) of this gene implicated in autosomal recessive osteopetrosis 2 and osteoporosis. Orthologous to human TNFSF11 (TNF superfamily member 11).
Form	Freeze-dried powder
Molecular Mass	Predicted Molecular Mass: 33.6 kDa

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	Accurate Molecular Mass: 33 kDa
Purity	> 90%
Applications	Positive Control; Immunogen; SDS-PAGE; WB.
Stability	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Storage	Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.
Storage Buffer	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Reconstitution	Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

GENE INFORMATION

Gene Name	Tnfsf11 tumor necrosis factor (ligand) superfamily, member 11 [<i>Mus musculus</i> (house mouse)]
Official Symbol	Tnfsf11
Synonyms	Tnfsf11; tumor necrosis factor (ligand) superfamily, member 11; ODF; OPGL; RANKL; Ly109l; Trance; tumor necrosis factor ligand superfamily member 11; OPG ligand; TNF-related activation-induced cytokine; osteoclast differentiation factor; osteoprotegerin ligand; receptor activator of NF-kappaB ligand; receptor activator of

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


nuclear factor kappa-B ligand; tumor necrosis factor-related activation-induced cytokine

Gene ID 21943

mRNA Refseq NM_011613

Protein Refseq NP_035743

UniProt ID O35235



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA