

Recombinant Human UBE2I, His-tagged

Cat. No. UBE2I-223H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant full length human UBE2I was expressed in E. coli cells using an N-terminal His tag.
Species	Human
Source	E.coli
Description	<p>UBE2I or ubiquitin-conjugating enzyme E2I is a member of the E2 ubiquitin-conjugating enzyme family which is required for post-replicative DNA damage repair. UBE2I also known as UBC9, plays a role DNA damage repair via interaction with WT1, which is able to impose a block in cell cycle progression in eukaryotic cells. Listeria and probably other pathogens, dampens the host response by decreasing the sumoylation level of proteins critical for infection by targeting UBC21, an essential enzyme of the SUMO pathway. UBC21 and the SUMO pathway are crucial for proper nuclear architecture, accurate chromosome segregation, and embryonic viability.</p>
Form	Recombinant protein stored in 50mM sodium phosphate, pH 7.0, 300mM NaCl, 150mM imidazole, 0.1mM PMSF, 0.25mM DTT, 25% glycerol.
Molecular Mass	~19 kDa
Purity	>95% by densitometry
Applications	Western Blot

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage Store product at –70 centigrade. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.

Concentration 0.1 µg/µl

Full Length Full L.

GENE INFORMATION

Gene Name UBE2I ubiquitin-conjugating enzyme E2I [Homo sapiens]

Official Symbol UBE2I

Synonyms UBE2I; ubiquitin-conjugating enzyme E2I; ubiquitin conjugating enzyme E2I (homologous to yeast UBC9) , ubiquitin conjugating enzyme E2I (UBC9 homolog, yeast); SUMO-conjugating enzyme UBC9; UBC9; SUMO-protein ligase; SUMO-1-protein ligase; ubiquitin-protein ligase I; ubiquitin carrier protein 9; ubiquitin carrier protein I; ubiquitin-protein ligase E2I; ubiquitin conjugating enzyme 9; ubiquitin-conjugating enzyme UbcE2A; ubiquitin-like protein SUMO-1 conjugating enzyme; ubiquitin-conjugating enzyme E2I (UBC9 homolog, yeast); ubiquitin-conjugating enzyme E2I (homologous to yeast UBC9); P18; C358B7.1;

Gene ID 7329

mRNA Refseq NM_003345

Protein Refseq NP_003336

MIM 601661

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID	P63279
Chromosome Location	16p13.3
Pathway	Androgen Receptor Signaling Pathway, organism-specific biosystem; C-MYB transcription factor network, organism-specific biosystem; Cell Cycle, organism-specific biosystem; Chromosome Maintenance, organism-specific biosystem; Coregulation of Androgen receptor activity, organism-specific biosystem; Meiosis, organism-specific biosystem; Meiotic Synapsis, organism-specific biosystem;
Function	ATP binding; HLH domain binding; contributes_to SUMO ligase activity; acid-amino acid ligase activity; bHLH transcription factor binding; enzyme binding; ligase activity; nucleotide binding; protein C-terminus binding; protein binding; transcription factor binding; ubiquitin-protein ligase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA