

Recombinant Human UNG Protein, Myc/DDK-tagged, C13 and N15-labeled

Cat. No. UNG-2871H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	UNG MS Standard C13 and N15-labeled recombinant protein (NP_550433) with a C-terminal MYC/DDK tag, was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	This gene encodes one of several uracil-DNA glycosylases. One important function of uracil-DNA glycosylases is to prevent mutagenesis by eliminating uracil from DNA molecules by cleaving the N-glycosylic bond and initiating the base-excision repair (BER) pathway. Uracil bases occur from cytosine deamination or misincorporation of dUMP residues. Alternative promoter usage and splicing of this gene leads to two different isoforms: the mitochondrial UNG1 and the nuclear UNG2. The UNG2 term was used as a previous symbol for the CCNO gene (GeneID 10309), which has been confused with this gene, in the literature and some databases.
Molecular Mass	34.5 kDa
AA Sequence	MIGQKTLYSFFSPSPARKRHAPSPEPAVQGTGVAGVPEESGDAAAIPAKKAPAGQE EPGTPPSSPLSAEQLDRIQRNKAALLRLAARNVPVGFGESWKKHLSGEFGKPYFIK LMGFVAEERKHHTVYPPPHQVFTWTQMCDIKDKVIVILGQDPYHGPNQAHLGCFVS QRPVPPPPSLENIYKELSTDIEDFVHPGHGDLSGWAKQGVLLNNAVLTVRAHQANSH KERGWEQFTDAVVSWLNQNSNGLVFLWGSYAQKKGSAIDRKRHHVLQTAHPSPL

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SVYRGFFGCRHFSKTNELLQKSGKKPIDWKELTRTRPLEQKLISEEDLAANDILDYKD
DDDKV

Purity > 80% as determined by SDS-PAGE and Coomassie blue staining

Stability Stable for 3 months from receipt of products under proper storage and handling conditions.

Storage Store at -80 centigrade. Avoid repeated freeze-thaw cycles.

Concentration 50 µg/mL as determined by BCA

Storage Buffer 100 mM glycine, 25 mM Tris-HCl, pH 7.3.

GENE INFORMATION

Gene Name UNG uracil-DNA glycosylase [Homo sapiens (human)]

Official Symbol UNG

Synonyms UNG; uracil-DNA glycosylase; DGU; HIGM4; UDG; UNG1; UNG2; uracil DNA glycosylase 1; uracil DNA glycosylase 2; uracil-DNA glycosylase 1, uracil-DNA glycosylase 2; UNG15; DKFZp781L1143;

Gene ID 7374

mRNA Refseq NM_080911

Protein Refseq NP_550433

MIM 191525

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID

P13051

SDS-PAGE



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA