

Recombinant Human VCL

Cat. No. VCL-7919H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human Vinculin is produced by our E. coli expression system. The target protein is expressed with sequence (Pro2Gln1066) of Human Vinculin.
Species	Human
Source	E.coli
Description	Vinculin is a focal adhesion and cytoskeletal protein that distributed mainly at cellcell junctions and cellextracellular matrix (ECM) adhesion that belongs to the Vinculin/alphaCatenin family. Vinculin is an Actinbinding protein and component of the ActinLinking Functional module that senses and feels the mechanical properties of the extracellular environment. Vinculin is also a key factor that couples, transmits, transduces, and regulates mechanical force between the cytoskeleton and adhesion receptors. Vinculin generally forms two structural states, an open (active) and closed (inactive) state, which are controlled by conformational interaction(s) between the head and tail domains. Vinculin is involved in the mechanochemical signal transmission of cells by binding to a variety of focal adhesion or cytoskeletal proteins, and plays important roles in cell adhesion, extension, motion, proliferation and survival.
Form	Lyophilized from a 0.2 μM filtered solution of 20mM PB, 150mM NaCl, pH 7.2
AA Sequence	MPVFHTRTIE SILEPVAQQI SHLVIMHEEG EVDGKAIPDL TAPVAAVQAA VSNLVRVGKE TVQTTEDQI LKRDMPPAFI KVENACTKLV QAAQMLQSDP

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

YSVPARDYLI DGSRGILSGT S DLLLTFDE AEVRKIIRVC KGILEYLTVA
 EVVETMEDLV TYTKNLGPGM TKMAKMIDER QQ ELTHQEH RVMLVNSMNT
 VKELLPVLIS AMKIFVTTKN SKNQGIEEAL KNRNFTLEKM SAE INEIR
 VLQLTSWDED

Purity Greater than 95% as determined by reducing SDS-PAGE.

Notes For research use only.

Storage Lyophilized protein should be stored at less than 20°C. though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C. for 2-7 days. Aliquots of reconstituted samples are stable at less than 20°C. for 3 months.

GENE INFORMATION

Gene Name [VCL vinculin \[Homo sapiens \]](#)

Official Symbol VCL

Synonyms VCL; vinculin; metavinculin; MVCL; CMD1W; CMH15;

Gene ID [7414](#)

mRNA Refseq [NM_003373](#)

Protein Refseq [NP_003364](#)

MIM [193065](#)

UniProt ID [P18206](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	10q22.1-q23
Pathway	Adherens junction, organism-specific biosystem; Adherens junction, conserved biosystem; Amoebiasis, organism-specific biosystem; Amoebiasis, conserved biosystem; Bacterial invasion of epithelial cells, organism-specific biosystem; Bacterial invasion of epithelial cells, conserved biosystem; Focal Adhesion, organism-specific biosystem;
Function	Rho GTPase binding; NOT actin binding; alpha-catenin binding; beta-catenin binding; beta-dystroglycan binding; cadherin binding; protein binding; structural molecule activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA