

Recombinant Human VEGFA Protein, His-tagged

Cat. No. VEGFA-153H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human Vascular Endothelial Growth Factor A is produced by our Mammalian expression system and the target gene encoding Ala27-Arg147 is expressed with a 6His tag at the C-terminus.
Species	Human
Source	Human Cells
ProteinLength	Ala27-Arg147
Description	<p>Human VEGF121, also known as Vascular endothelial growth factor A, VEGFA, Vascular permeability factor, VPF and VEGF, is a homodimeric, heparin-binding glycoprotein which belongs to the platelet-derived growth factor (PDGF)/vascular endothelial growth factor (VEGF) family. VEGF-A is a glycosylated mitogen that specifically acts on endothelial cells and has various effects, including mediating increased vascular permeability, inducing angiogenesis, vasculogenesis, permeabilization of blood vessels and endothelial cell growth, increasing microvascular permeability, promoting cell migration and inhibiting apoptosis. Alternatively spliced transcript variants of VEGF-A encode either secreted or cell-associated isoforms. The lymphangiogenesis may be promoted by upregulation of VEGF121, which may in turn act in part via induction of VEGF-C. It binds to the FLT1/VEGFR1 and KDR/VEGFR2 receptors, heparan sulfate and heparin. NRP1/Neuropilin-1 binds isoforms VEGF-165 and VEGF-145. Isoform VEGF165B binds to KDR but does not activate downstream signaling pathways, does not activate</p>

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	angiogenesis and inhibits tumor growth.
Form	Lyophilized from a 0.2 um filtered solution of 20mM PB, 150mM NaCl, pH 7.2.
AA Sequence	APMAEGGGQNHHEVVKFMDVYQRSYCHPIETLVDIFQEYDPDEIEYIFKPSCVPLMRC GGCCNDEGLECVPT EESNITMQIMRIK PHQQQHIGEMSFLQHNKCECRPKKDRAR QEKCDKPRRVDHHHHHH
Endotoxin	Less than 0.1 ng/ug (1 EU/ug).
Purity	>95%
Storage	Lyophilized protein should be stored at < -20 centigrade, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7 centigrade for 2-7 days. Aliquots of reconstituted samples are stable at < -20 centigrade for 3 months.
Reconstitution	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.
Quality Statement	Purity: Greater than 95% as determined by reducing SDS-PAGE.
Shipping	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.

GENE INFORMATION


Gene Name VEGFA vascular endothelial growth factor A [Homo sapiens (human)]

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Official Symbol	VEGFA
Synonyms	Vascular Endothelial Growth Factor Isoform 165; VEGF165; VPF; VEGF; MVCD1
Gene ID	7422
mRNA Refseq	NM_001025366.3
Protein Refseq	NP_001020537.2
MIM	192240
UniProt ID	P15692

SDS-PAGE

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA