

## Recombinant Human VSIR Protein

**Cat. No.** VSIR-605H    **Lot. No.** (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant human VSIR protein without tag was expressed in HEK293.
<b>Species</b>	Human
<b>Source</b>	HEK293
<b>ProteinLength</b>	311
<b>Description</b>	Enables endopeptidase activator activity; enzyme binding activity; and identical protein binding activity. Involved in several processes, including negative regulation of cytokine production; positive regulation of macromolecule metabolic process; and regulation of T cell activation. Located in plasma membrane.
<b>Form</b>	Lyophilized
<b>Molecular Mass</b>	20 kDa
<b>AA Sequence</b>	<p>MGVPTALEAGSWRWGSLLFALFLAASLGPVAAFQVATPYSLYVCPEGQNVTLTCRL  LGPVDKGDVTFYKWTWYRSSRGEVQTCSEIRPIRNLTFQDLHLHHGGHQAANTSH  DLAQRHGLASDHHGNFSITMRNLTLDSGLYCCLVVEIRHHHSEHRVHGAMELQ  VQTGKDAPSNCVVYPSSSQDSENITAAALATGACIVGILCLPLILLLVYKQRQAASNR  RAQELVRMDSNIQGIENPGFEASPPAQGIPEAKVRHPLSYVAQRQPSESGRHLLSE  PSTPLSPPGPGDVFFPSLDPVDPSPNFEVI</p>
<b>Purity</b>	> 98%

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Applications</b>	WB; ELISA; FACS; FC
<b>Stability</b>	This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.
<b>Storage</b>	At -20 centigrade.
<b>Concentration</b>	1 mg/mL
<b>Storage Buffer</b>	PBS (pH 7.4-7.5). Sterile-filtered colorless solution.
<b>Reconstitution</b>	Reconstitute in sterile distilled H2O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.

## GENE INFORMATION

<b>Gene Name</b>	VSIR V-set immunoregulatory receptor [ Homo sapiens (human) ]
<b>Official Symbol</b>	VSIR
<b>Synonyms</b>	VSIR; V-set immunoregulatory receptor; B7H5; GI24; B7-H5; Dies1; PD-1H; SISP1; VISTA; PP2135; C10orf54; DD1alpha; V-type immunoglobulin domain-containing suppressor of T-cell activation; Death Domain1alpha; PDCD1 homolog; V-domain Ig suppressor of T cell activation; V-set domain-containing immunoregulatory receptor; platelet receptor GI24; sisp-1; stress-induced secreted protein-1
<b>Gene ID</b>	64115

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



mRNA Refseq	NM_022153
Protein Refseq	NP_071436
MIM	615608
UniProt ID	Q9H7M9

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA