

Recombinant Human VTCN1 Protein, Biotinylated

Cat. No. VTCN1-603H Lot. No. (See product label)

SPECIFICATION

Product Overview	Biotinylated Recombinant human VTCN1 protein without tag was expressed in HEK293..
Species	Human
Source	HEK293
ProteinLength	282
Description	This gene encodes a protein belonging to the B7 costimulatory protein family. Proteins in this family are present on the surface of antigen-presenting cells and interact with ligand bound to receptors on the surface of T cells. Studies have shown that high levels of the encoded protein has been correlated with tumor progression. A pseudogene of this gene is located on chromosome 20. Multiple transcript variants encoding different isoforms have been found for this gene.
Form	Lyophilized
Molecular Mass	26.1 kDa
AA Sequence	MASLGQILFWSIISIILLAGAIALIIGFGISGRHSITVTTVASAGNIGEDGILSCTFEPDIKL SDVIQWLKEGVLGLVHEFKGKDELSEQDEMFRGRTAVFADQVIVGNASRLKLVQ LTDAGTYKCYIITSKGKGNANLEYKTGAFSMPEVNVVDYNASSETLRCEAPRWFPQPT VWASQVDQGANFSEVSNTSFELNSENVTMKVVSVLNVNTINNTYSCMIENDIAKAT GDIKVTSEIKRRSHLQLLNSKASLCVSSFFAISWALLPLSPYLMLK

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 98%
Applications	WB; ELISA; FACS; FC
Stability	This bioreagent is stable at 4 centigrade (short-term) and -70 centigrade(long-term). After reconstitution, sample may be stored at 4 centigrade for 2-7 days and below -18 centigrade for future use.
Storage	At -20 centigrade.
Concentration	1 mg/mL
Storage Buffer	PBS (pH 7.4-7.5). Sterile-filtered colorless solution.
Reconstitution	Reconstitute in sterile distilled H ₂ O to no less than 100 µg/mL; dilute reconstituted stock further in other aqueous solutions if needed. Please review COA for lot-specific instructions. Final measurements should be determined by the end-user for optimal performance.
Conjugation	Biotin

GENE INFORMATION

Gene Name	VTCN1 V-set domain containing T cell activation inhibitor 1 [Homo sapiens (human)]
Official Symbol	VTCN1
Synonyms	VTCN1; V-set domain containing T cell activation inhibitor 1; V-set domain-containing T-cell activation inhibitor 1; B7 family member; H4; B7 superfamily member 1; B7 H4; B7H4; B7S1; B7X; FLJ22418; B7 family member, H4; T cell costimulatory molecule B7x; T-cell costimulatory molecule B7x; immune costimulatory protein B7-H4; B7-H4;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



B7h.5; VCTN1; PRO1291; RP11-229A19.4;

Gene ID 79679

mRNA Refseq NM_001253849

Protein Refseq NP_001240778

MIM 608162

UniProt ID Q7Z7D3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA