

# Active Recombinant Mouse Vegfa Protein

**Cat. No.** Vegfa-7364M    **Lot. No.** (See product label)

## SPECIFICATION

**Product Overview**      Recombinant Mouse Vascular Endothelial Growth Factor164 without tag was expressed in E. coli.

**Species**                      Mouse

**Source**                        E.coli

**Description**

This gene is a member of the PDGF/VEGF growth factor family. It encodes a heparin-binding protein, which exists as a disulfide-linked homodimer. This growth factor induces proliferation and migration of vascular endothelial cells, and is essential for both physiological and pathological angiogenesis. Disruption of this gene in mice resulted in abnormal embryonic blood vessel formation. This gene is upregulated in many known tumors and its expression is correlated with tumor stage and progression. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. There is also evidence for alternative translation initiation from upstream non-AUG (CUG) codons resulting in additional isoforms. A recent study showed that a C-terminally extended isoform is produced by use of an alternative in-frame translation termination codon via a stop codon readthrough mechanism, and that this isoform is antiangiogenic. Expression of some isoforms derived from the AUG start codon is regulated by a small upstream open reading frame, which is located within an internal ribosome entry site.

**Form**                            Lyophilized

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

<b>Bio-activity</b>	The ED50 for stimulation of cell proliferation by human umbilical vein endothelial cells for VEGF164 has been determined to be in the range of 1-5 ng/mL.
<b>Molecular Mass</b>	38.4 kDa
<b>AA Sequence</b>	APTTEGEQKSHEVIKFMDVYQRSYCRPIETLVDIFQEYPDEIEYIFKPSCVPLMRCAG CCNDEALECVPTSESINITMQIMRIKPHQSQHIGEMSFLQHSRCECRPKKDRTKPEN HCEPCSEERRKHLFQDPQTCKCCKNTDSRCKARQLELNERTCRCDKPRR
<b>Endotoxin</b>	< 0.1 ng/μg of VEGF164
<b>Purity</b>	> 95 % by SDS-PAGE and Silver staining
<b>Stability</b>	Shelf life: one year from despatch.
<b>Storage</b>	Store (following reconstitution in aliquots) at -20 centigrade or below. Avoid repeated freezing and thawing.
<b>Storage Buffer</b>	50 mM Acetic Acid
<b>Reconstitution</b>	The lyophilized VEGF164 is soluble in water and most aqueous buffers. The lyophilized VEGF164 should be reconstituted in PBS or medium containing at least 0.1 % human or bovine serum albumin to a concentration not lower than 50 μg/mL.

## GENE INFORMATION

<b>Gene Name</b>	Vegfa vascular endothelial growth factor A [ <i>Mus musculus</i> (house mouse) ]
<b>Official Symbol</b>	Vegfa
<b>Synonyms</b>	Vegfa; vascular endothelial growth factor A; V; Veg; Vpf; Vegf; VEGF12; VEGF16;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

VEGF18; vascular endothelial growth factor A; vascular permeability factor


Gene ID [22339](#)

mRNA Refseq [NM\\_001025250](#)

Protein Refseq [NP\\_001020421](#)

UniProt ID [Q00731](#)

**SDS-PAGE**



 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA