

Active Recombinant Mouse Vegfa Protein

Cat. No. Vegfa-7371M Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Murine Vascular Endothelial Growth Factor188 without tag was expressed in E. coli.
Species	Mouse
Source	E.coli
Description	<p>This gene is a member of the PDGF/VEGF growth factor family. It encodes a heparin-binding protein, which exists as a disulfide-linked homodimer. This growth factor induces proliferation and migration of vascular endothelial cells, and is essential for both physiological and pathological angiogenesis. Disruption of this gene in mice resulted in abnormal embryonic blood vessel formation. This gene is upregulated in many known tumors and its expression is correlated with tumor stage and progression. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. There is also evidence for alternative translation initiation from upstream non-AUG (CUG) codons resulting in additional isoforms. A recent study showed that a C-terminally extended isoform is produced by use of an alternative in-frame translation termination codon via a stop codon readthrough mechanism, and that this isoform is antiangiogenic. Expression of some isoforms derived from the AUG start codon is regulated by a small upstream open reading frame, which is located within an internal ribosome entry site.</p>
Form	Lyophilized

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Bio-activity	Determined by the dose-dependent stimulation of the proliferation of human umbilical vein endothelial cells (HUVEC) using a concentration range of 2-20 ng/mL.
Molecular Mass	44.2 kDa
AA Sequence	APTTEGEQKSHEVIKFMDVYQRSYCRPIETLVDIFQEYPDEIEYIFKPSCVPLMRCAG CCNDEALECVPTSESNITMQIMRIKPHQSQHIGEMSFLQHSRCECRPKKDRTKPEKK SVRGKGGKQKRKKKSRFKSWSVHCEPCSERRKHLFVQDPQTCKCCKNTDSRCK ARQLELNERTCRCDKPRR
N-terminal Sequence Analysis	APTTEGE
Endotoxin	< 0.1 ng/μg of VEGF188
Purity	> 95 % by SDS-PAGE and Silver staining
Stability	Shelf life: one year from despatch.
Storage	Store lyophilized at 2-8 centigrade for 6 months or at -20 centigrade long term. After reconstitution store the antibody undiluted at 2-8 centigrade for one month or (in aliquots) at -20 centigrade long term. Avoid repeated freezing and thawing.
Storage Buffer	50 mM Acetic Acid
Reconstitution	The lyophilized VEGF188 should be reconstituted in 50 mM Acetic Acid or medium containing at least 0.1 % Human or BSA to a concentration not lower than 50 μg/mL.

GENE INFORMATION

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Gene Name	Vegfa vascular endothelial growth factor A [Mus musculus (house mouse)]
Official Symbol	Vegfa
Synonyms	Vegfa; vascular endothelial growth factor A; V; Veg; Vpf; Vegf; VEGF12; VEGF16; VEGF18; vascular endothelial growth factor A; vascular permeability factor
Gene ID	22339
mRNA Refseq	NM_001025250
Protein Refseq	NP_001020421
UniProt ID	Q00731

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA