

Recombinant Human XRCC5 protein, His-tagged

Cat. No. XRCC5-3556H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human XRCC5 protein(384-732 aa), fused to His tag, was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	384-732 aa
Form	The purified protein was Lyophilized from sterile PBS (58mM Na ₂ HPO ₄ , 17mM NaH ₂ PO ₄ , 68mM NaCl, pH7.4). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 300mM imidazole.
AA Sequence	LDDLDMVAIVRYAYDKRANPQVGVAFPPIKHNYECLVYVQLPFMEDLRQYMFSSLK NSKKYAPTEAQLNAVDALIDSMSLAKKDEKTDLTLEDLFPPTTKIPNPRFQRLFQCLLHR ALHPREPLPPIQQHIWNMLNPPAEVTTKSQIPLSKIKTLFPLIEAKKKDQVTAQEIQD NHEDGPTAKKLTKEQGGAHFSVSSLAEGSVTSVGSVNPAENFRVLVKQKKASFEEA SNQLINHIEQFLDTNETPYFMKSIDCIRAFREEAIKFSEEQRFNFKALQEKVEIKQL NHFWEIVVQDGITLITKEEASGSSVTAEAEAKKFLAPKDKPSGDTAAVFEEGGDVDDL LDMI
Purity	90%, by SDS-PAGE with Coomassie Brilliant Blue staining.
Storage	Short-term storage: Store at 2-8°C for (1-2 weeks). Long-term storage: Aliquot and store at -20°C to -80°C for up to 3 months, buffer

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles.

Reconstitution

Reconstitute at 0.25 g/μl in 200 μl sterile water for short-term storage.
 Reconstitution with 200 μl 50% glycerol solution is recommended for longer term storage.

GENE INFORMATION

Gene Name

XRCC5 X-ray repair complementing defective repair in Chinese hamster cells 5 (double-strand-break rejoining) [Homo sapiens]

Official Symbol

XRCC5

Synonyms

XRCC5; X-ray repair complementing defective repair in Chinese hamster cells 5 (double-strand-break rejoining); X ray repair complementing defective repair in Chinese hamster cells 5 (double strand break rejoining; Ku autoantigen, 80kD); X-ray repair cross-complementing protein 5; KARP 1; Ku autoantigen; 80kDa; KU80; Ku86; KUB2; TLAA; CTC85; CTCBF; nuclear factor IV; Ku autoantigen, 80kDa; DNA repair protein XRCC5; thyroid-lupus autoantigen; 86 kDa subunit of Ku antigen; lupus Ku autoantigen protein p86; Ku86 autoantigen related protein 1; CTC box-binding factor 85 kDa subunit; ATP-dependent DNA helicase 2 subunit 2; ATP-dependent DNA helicase II 80 kDa subunit; NFIV; KARP1; KARP-1; FLJ39089;

Gene ID

7520

mRNA Refseq

NM_021141

Protein Refseq

NP_066964

MIM

194364

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



UniProt ID

P13010

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA