

DEAE methacrylic resin

Cat. No. diethylaminoethyl-008M **Lot. No.** (See product label)

SPECIFICATION

Product Overview DEAE methacrylic chromatographic resins are designed for anion exchange chromatography. This chromatographic mode separates molecules on the basis of ionic interactions between the sample and the resin. The separation is usually accomplished in buffered aqueous solution with a gradient of increasing ionic strength. Alternatively, pH adjustment may be used for control of elution.

Cat.no diethylaminoethyl-008M

Form slurry in 20 % (v/v) ethanol

Size 100 mL, 250 mL, 1 L

Matrix methacrylic polymer

Ion exchange capacity 0.2 ± 0.05 meq/mL

Functional group diethylaminoethyl group: $-O-CH_2CH_2-N^+(C_2H_5)_2H$

Protein diethylaminoethyl

Average particle size 50 – 100 μm

Dynamic binding capacity ≥ 156 mg/mL BSA

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Recommended flow rate	normally 10 – 600 cm/h
------------------------------	------------------------

Shelf life	Minimum 5 years
-------------------	-----------------

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA