

Active Recombinant Human Histone Deacetylase 5, GST-tagged

Cat. No. HDAC5-396H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Full Length Human HDAC5—Class IIa, 150kD with GST tag.
Species	Human
Source	Insect Cells
Description	Histone deacetylase 5, also known as HDAC5, is a human gene. Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene belongs to the class II histone deacetylase/acuc/apha family. It possesses histone deacetylase activity and represses transcription when tethered to a promoter. It coimmunoprecipitates only with HDAC3 family member and might form multicomplex proteins. It also interacts with myocyte enhancer factor-2 (MEF2) proteins, resulting in repression of MEF2-dependent genes. This gene is thought to be associated with colon cancer. Two transcript variants encoding different isoforms have been found for this gene.
Purity	Purified, active enzyme.
Purification Procedure	Glutathione Column
Activity	1000 units per vial. 1 unit is defined as the amount of enzyme that will convert

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

1picomole per minute per ug of protein at pH8 at 30°C.

Stability/Shelf-life >6 months from date of shipment

Buffer Composition 25mM Tris pH8, 120mM NaCl, 0.05% Tween-20 & 40% Glycerol.

Storage -80°C

Full Length Full L.

GENE INFORMATION

Gene Name HDAC5 histone deacetylase 5 [Homo sapiens]

Synonyms HDAC5; FLJ90614; HD5; NY-CO-9; HDAC5 histone deacetylase 5; histone deacetylase 5; antigen NY-CO-9; EC 3.5.1.98; KIAA0600; Antigen NY-CO-9.

Gene ID 10014

mRNA Refseq NM_001015053

Protein Refseq NP_001015053

MIM 605315

UniProt ID Q9UQL6

Chromosome Location 17q21

Pathway Gene Expression

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

histone deacetylase activity; hydrolase activity; specific transcriptional repressor activity; transcription corepressor activity; transcription factor binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA