

Recombinant Human SIRT2

Cat. No. SIRT2-30564TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Full-length recombinant Human SIRT2 with an N-terminal tag. MWt 64kDa.
Species	Human
Source	E.coli
ProteinLength	389 amino acids
Description	This gene encodes a member of the sirtuin family of proteins, homologs to the yeast Sir2 protein. Members of the sirtuin family are characterized by a sirtuin core domain and grouped into four classes. The functions of human sirtuins have not yet been determined; however, yeast sirtuin proteins are known to regulate epigenetic gene silencing and suppress recombination of rDNA. Studies suggest that the human sirtuins may function as intracellular regulatory proteins with mono-ADP-ribosyltransferase activity. The protein encoded by this gene is included in class I of the sirtuin family. Several transcript variants are resulted from alternative splicing of this gene.
Molecular Weight	64.000kDa inclusive of tags
Tissue specificity	Widely expressed. Highly expressed in heart, brain and skeletal muscle, while it is weakly expressed in placenta and lung. Down-regulated in many gliomas suggesting that it may act as a tumor suppressor gene in human gliomas possibly through the regulatio

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Form	Liquid
Storage buffer	Preservative: None Constituents: 25% Glycerol, 50mM Tris HCl, 150mM Sodium chloride, 10mM Glutathione, 0.25mM DTT, 0.1mM EDTA, 0.1mM PMSF, pH 7.5
Storage	Shipped on dry ice. Upon delivery aliquot and store at -80oC. Avoid freeze / thaw cycles.
Sequence Similarities	Belongs to the sirtuin family. Contains 1 deacetylase sirtuin-type domain.

GENE INFORMATION

Gene Name	SIRT2 sirtuin 2 [Homo sapiens]
Official Symbol	SIRT2
Synonyms	SIRT2; sirtuin 2; SIR2L, sirtuin (silent mating type information regulation 2 homolog) 2 (S. cerevisiae) , sirtuin (silent mating type information regulation 2, S.cerevisiae, homolog) 2; NAD-dependent deacetylase sirtuin-2;
Gene ID	22933
mRNA Refseq	NM_001193286
Protein Refseq	NP_001180215
MIM	604480
Uniprot ID	Q8IXJ6
Chromosome	19q13

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Location	
Pathway	Signaling events mediated by HDAC Class I, organism-specific biosystem; Signaling events mediated by HDAC Class III, organism-specific biosystem;
Function	NOT NAD+ ADP-ribosyltransferase activity; NAD+ binding; NAD-dependent histone deacetylase activity; histone acetyltransferase binding; histone deacetylase binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA