

Recombinant Human IL29 protein

Cat. No. IL29-100H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human IL29 protein was expressed in Escherichia coli.
Species	Human
Source	E.coli
ProteinLength	181
Description	IL-28A, IL-28B, and IL-29, also named interferon- λ 2 (IFN- λ 2), IFN- λ 3, and IFN- λ 1, respectively, are newly identified class II cytokine receptor ligands that are distantly related to members of the IL-10 family (11-13 % a.a. sequence identity) and the type I IFN family (15-19 % a.a. sequence identity). The expression of IL-28A, B, and IL-29 is induced by virus infection or double-stranded RNA. All three cytokines exert bioactivities that overlap those of type I IFNs, including antiviral activity and up-regulation of MHC class I antigen expression. The three proteins signal through the same heterodimeric receptor complex that is composed of the IL-10 receptor β (IL-10 R β) and a novel IL-28 receptor α (IL-28 R α , also known as IFN- λ R1). Ligand binding to the receptor complex induces Jak kinase activation and STAT1 and STAT2 tyrosine phosphorylation.
Form	Lyophilized from a 0.2 μ m filtered concentrated solution in PBS, pH 7.4.
Bio-activity	Fully biologically active when compared to standard. The ED50 as determined by an anti-viral assay using human HepG2 cells infected with encephalomyocarditis is less

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	than 5 ng/ml, corresponding to a specific activity of $> 2.0 \times 10^5$ IU/mg.
Molecular Mass	Approximately 19.8 kDa, a single non-glycosylated polypeptide chain containing 181 amino acids.
AA Sequence	GPVPTSKPTTTGKGCHIGRFKSLSPQELASFKKARDALEESLKLKNWSCSSPVFPG NWDLRLLQVRERPVALEAELATLKVLEAAAGPALEDVLDQPLHTLHHILSQLQACIQ PQPTAGPRPRGRLHHWLHRLQEAPKKESAGCLEASVTNLFRLLTRDLKYVADGNL CLRTSTHPEST
Endotoxin	Less than 1 EU/μg of rHuIFN-λ1/IL-29 as determined by LAL method.
Purity	>97% by SDS-PAGE and HPLC analysis.
Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70 centigrade as supplied. 1 month, 2 to 8 centigrade under sterile conditions after reconstitution. 3 months, -20 to -70 centigrade under sterile conditions after reconstitution.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at ≤ -20 centigrade. Further dilutions should be made in appropriate buffered solutions.

GENE INFORMATION

Gene Name	IL29
Official Symbol	IL29

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Synonyms	IL29; interleukin 29 (interferon, lambda 1); interleukin 29; interleukin-29; IFNL1; IL 29; IFN-lambda-1; cytokine Zcyto21; interferon lambda-1; interferon-lambda-1; interferon, lambda 1; IL-29;
Gene ID	282618
mRNA Refseq	NM_172140
Protein Refseq	NP_742152
MIM	607403
UniProt ID	Q8IU54

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA