

Active Recombinant Rhesus monkey CXCL8 protein, His-tagged

Cat. No. CXCL8-667R **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Active Recombinant Rhesus monkey CXCL8 protein(P67813)(23~101 aa), fused with N-terminal His tag, was expressed in E.coli.
Species	Rhesus monkey
Source	E.coli
ProteinLength	23-101 aa
Form	Lyophilized from sterile PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
Bio-activity	Interleukin 8 (IL8 or chemokine (C-X-C motif) ligand 8, CXCL8) is a chemokine produced by macrophages and other cell types such as epithelial cells, airway smooth muscle cells and endothelial cells. Thus, chemotaxis assay used 24-well microchemotaxis system was undertaken to detect the chemotactic effect of IL8 on the human T-lymphocyte leukemia cell line Jurkat. Briefly, Jurkat cells were seeded into the upper chambers (100ul cell suspension, 10^6 cells/ml in RPMI 1640 with FBS free) and recombinant Simian IL8 (1ng/ml, 10ng/ml, 100ng/ml and 1000ng/ml diluted separately in serum free RPMI 1640) was added in lower chamber with a polycarbonate filter(8um pore size) used to separate the two compartments. After incubation at 37°C with 5% CO ₂ for 90min, the filter was removed, then cells in low chamber were observed by inverted microscope at low magnification (×100) and the

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

number of migrated cells were counted at high magnification($\times 400$) randomly (five fields for each filter). Result shows IL8 is able to induce migration of Jurkat cells. The migrated Jurkat cells in low chamber at low magnification($\times 100$) were shown. Five fields of each chamber were randomly chosen, and the migrated cells were counted at high magnification($\times 400$). The optimum chemotaxis of IL8 occurs at 10-100ng/ml.

Molecular Mass 12.5kDa


Endotoxin <1.0EU per 1 μ g (determined by the LAL method).

Purity > 90% as determined by SDS-PAGE.

Storage Avoid repeated freeze/thaw cycles. Store at -20°C for 12 months. Aliquot and store at -80°C for 12 months.

Reconstitution Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

Activity




Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA

SDS-PAGE



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA