

Recombinant Cynomolgus CSF1R protein, Fc-tagged

Cat. No. CSF1R-346C **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Cynomolgus CSF1R protein (Ile99-Pro596), fused to human IgG1 Fc tag at C-terminus, was expressed in human 293 cells (HEK293).
Species	Cynomolgus
Source	HEK293
ProteinLength	498
Description	Colony stimulating factor 1 receptor (CSF1R) is also known as macrophage colony-stimulating factor receptor (M-CSFR), CD115 Cluster of Differentiation 115 (CD115), C-FMS, CSFR, FIM2, FMS, and is a member of the type subfamily of receptor tyrosine kinases (RTKs). CSF1R is a receptor for a cytokine called colony stimulating factor 1, The protein encoded by the CSFR1 gene is the receptor for colony stimulating factor 1, a cytokine which controls the production, differentiation, and function of macrophages. This receptor mediates most, if not all, of the biological effects of this cytokine. Ligand binding activates CSFR1 through a process of oligomerization and transphosphorylation . Mutations in CSF1R are associated with chronic myelomonocytic leukemia and type M4 acute myeloblastic leukemia. Increased levels of CSF1R1 are found in microglia in Alzheimer's disease and after brain injuries. The increased receptor expression causes microglia to become more active. Both CSF1R, and its ligand colony stimulating factor 1 play an important role in the development of the mammary gland and may be involved in the process of mammary gland carcinogenesis.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Form	Lyophilized from 0.22 um filtered solution in Tris with Glycine, Arginine and NaCl, pH7.5, 10% trehalose.
Molecular Mass	The protein has a calculated MW of 81.9 kDa. As a result of glycosylation, the protein migrates as 110-125 kDa under reducing (R) condition, and 200- 240 kDa under non-reducing (NR) condition (SDS-PAGE).
Endotoxin	Less than 1.0 EU per ug by the LAL method.
Purity	>95% as determined by SDS-PAGE.
Storage	For long term storage, the product should be stored at lyophilized state at -20 centigrade or lower. Please avoid repeated freeze-thaw cycles. This product is stable after storage at: -20 centigrade to -70 centigrade for 12 months in lyophilized state; -70 centigrade for 3 months under sterile conditions after reconstitution.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

GENE INFORMATION

Gene Name	CSF1R
Official Symbol	CSF1R
Synonyms	C-FMS; CD115; CSFR; FIM2; FMS; M-CSFR
Gene ID	102124214

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq [XM_015452130.1](#)

Protein Refseq [XP_015307616.1](#)


UniProt ID [G7P8P1](#)

Bioactivity-ELISA of CSF1R-346C



Immobilized Biotinylated Human M-CSF, His,Avitag at 2 µg/mL (100 µL/well) on streptavidin precoated (0.2 µg/well) plate, can bind Cynomolgus M-CSF R, Fc Tag with a linear range of 1-39 ng/mL (QC tested).

Bioactivity-ELISA of CSF1R-346C




Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA

Immobilized Human M-CSF, His Tag at 5 µg/mL (100 µL/well) can bind Cynomolgus M-CSFR, Fc Tag with a linear range of 1-39 ng/mL (Routinely tested).

**SDS-PAGE of
CSF1R-346C**



Cynomolgus M-CSFR, Fc Tag on SDS-PAGE under reducing (R) and non-reducing (NR) conditions. The gel was stained overnight with Coomassie Blue. The purity of the protein is greater than 95%.