

Recombinant Human ATP6V0C protein, GST-tagged

Cat. No. ATP6V0C-996H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human ATP6V0C full-length ORF (NP_001685.1, 1 a.a. - 155 a.a.) recombinant protein with GST-tag at N-terminal.
Species	Human
Source	Wheat Germ
Description	This gene encodes a component of vacuolar ATPase (V-ATPase), a multisubunit enzyme that mediates acidification of eukaryotic intracellular organelles. V-ATPase dependent organelle acidification is necessary for such intracellular processes as protein sorting, zymogen activation, receptor-mediated endocytosis, and synaptic vesicle proton gradient generation. V-ATPase is composed of a cytosolic V1 domain and a transmembrane V0 domain. The V1 domain consists of three A and three B subunits, two G subunits plus the C, D, E, F, and H subunits. The V1 domain contains the ATP catalytic site. The V0 domain consists of five different subunits: a, c, c', c'', and d. This gene encodes the V0 subunit c. Alternative splicing results in transcript variants. Pseudogenes have been identified on chromosomes 6 and 17. [provided by RefSeq, Nov 2010]
Molecular Mass	42.1 kDa
AA Sequence	MSEKSGPEYASFFAVMGASAAMVFSALGAAYGTAKSGTGIAAMSVMRPEQIMKSII PVVMAGIIAIYGLVAVLIANSLNDDISLYKSFLQLGAGLSVGLSGLAAGFAIGIVGDAG VRGTAQQPRLFVGMILILIFAENVLGLYGLIVALILSTK

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	Enzyme-linked Immunoabsorbent Assay; Western Blot (Recombinant protein); Antibody Production; Protein Array
Notes	Best use within three months from the date of receipt of this protein.
Storage	Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
GENE INFORMATION	
Gene Name	ATP6V0C ATPase, H ⁺ transporting, lysosomal 16kDa, V0 subunit c [Homo sapiens]
Official Symbol	ATP6V0C
Synonyms	ATP6V0C; ATPase, H ⁺ transporting, lysosomal 16kDa, V0 subunit c; ATP6C, ATP6L, ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump) 16kD , ATPL; V-type proton ATPase 16 kDa proteolipid subunit; VATL; Vma3; V-ATPase 16 kDa proteolipid subunit; vacuolar H ⁺ ATPase proton channel subunit; vacuolar proton pump 16 kDa proteolipid subunit; vacuolar ATP synthase 16 kDa proteolipid subunit; H(+)-transporting two-sector ATPase, 16 kDa subunit; ATPL; VPPC; ATP6C; ATP6L;
Gene ID	527
mRNA Refseq	NM_001198569
Protein Refseq	NP_001185498
MIM	108745
UniProt ID	P27449

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



12.5% SDS-PAGE Stained with Coomassie Blue.

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA