

Recombinant Human FLT3LG Protein, His-tagged

Cat. No. FLT3LG-939H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human FLT3LG, transcript variant 3, fused with His tag at C-terminal was expressed in HEK293 cells.
Species	Human
Source	HEK293
Description	Dendritic cells (DCs) provide the key link between innate and adaptive immunity by recognizing pathogens and priming pathogen-specific immune responses. FLT3LG controls the development of DCs and is particularly important for plasmacytoid DCs and CD8 (see MIM 186910)-positive classical DCs and their CD103 (ITGAE; MIM 604682)-positive tissue counterparts (summary by Sathaliyawala et al., 2010 [PubMed 20933441]).
Form	Lyophilized from a 0.2 M filtered solution of 20mM TrisHCl, pH8.0
Molecular Mass	18.9kD
AA Sequence	MTVLAPAWSPTTYLLLLLLLSSGLSGTQDCSFQHSPISDFAVKIRELSDYLLQDYPV TVASNLQDEELCGGLWRLVLAQRWMERLKTAVAGSKMQGLLERVNTIEHFVTKCAF QPPPSCLRFVQTNISRLLQETSEQLVALKPWITRQNFRCLELQCQPDSSTLPPWS PRPLEATAPTAPQPDHHHHHH
Endotoxin	Endotoxin level is <0.1 ng/g of protein (<1EU/g).

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity >95% as determined by SDS-PAGE and Coomassie blue staining

Concentration Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in 1X PBS. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

GENE INFORMATION

Gene Name FLT3LG fms-related tyrosine kinase 3 ligand [Homo sapiens]

Official Symbol FLT3LG

Synonyms FLT3LG; fms-related tyrosine kinase 3 ligand; flt3 ligand; FL; FLT3L;

Gene ID 2323

mRNA Refseq NM_001204502

Protein Refseq NP_001191431

MIM 600007

UniProt ID P49771

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA