

Recombinant Human UPF1, His-tagged

Cat. No. UPF1-30951TH **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant fragment, corresponding to amino acids 703-1118 of Human RENT1/hUPF1 with N terminal His tag; 416 amino acids, 67 kDa ;
Species	Human
Source	E.coli
ProteinLength	703-1118 a.a.
Description	This gene encodes a protein that is part of a post-splicing multiprotein complex involved in both mRNA nuclear export and mRNA surveillance. mRNA surveillance detects exported mRNAs with truncated open reading frames and initiates nonsense-mediated mRNA decay (NMD). When translation ends upstream from the last exon-exon junction, this triggers NMD to degrade mRNAs containing premature stop codons. This protein is located only in the cytoplasm. When translation ends, it interacts with the protein that is a functional homolog of yeast Upf2p to trigger mRNA decapping. Use of multiple polyadenylation sites has been noted for this gene.
Conjugation	HIS
Tissue specificity	Ubiquitous.
Form	Lyophilised:Reconstitute with 69 µl distilled water.
Storage buffer	Preservative: NoneConstituents: 0.5% Trehalose, 6M Urea, 100mM Sodium

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	phosphate, 10mM Sodium chloride, pH 4.5
Storage	Shipped at 4°C. Upon delivery aliquot and store at -80oC. Avoid freeze / thaw cycles.
Sequences of amino acids	RMHPALSAFPSNIFYEGSLQNGVTAADRVKKGFDFQWPQP DKPMFFYVTQGQEEI ASSGTSYLN RTEAANVEKITT KL LKAGAKPDQIGIITPYEGQRSYLVQYMQFSGSLHT KLY QEVEIASVDAFQGREKDFIILSCVRANEHQGIGFLNDPRRLNVALTRARYGVIIV GNPKALSKQPLWNHLLNYYKEQK VLVEGPLNNLRESLMQFSKPRKLVNTINPGARF MTTAM YDAREAIIPGSVYDRSSQGRPSSMYFQTHDQIGMISAG PSHVAAMNIPIPF NLVMPPMPPPGYFGQANGPAAGRGTK GKTGRGGRQKNRFGPLGPSQTNLPNS QASQDVASQPFS QGALTQGYISMSQPSQMSQPGLSQPELSQDSYLGDEFK SQID VALSQDSTYQGERAYQHGGVTGLSQY
Sequence Similarities	Belongs to the DNA2/NAM7 helicase family.Contains 1 C2H2-type zinc finger.

GENE INFORMATION

Gene Name	UPF1 UPF1 regulator of nonsense transcripts homolog (yeast) [Homo sapiens]
Official Symbol	UPF1
Synonyms	UPF1; UPF1 regulator of nonsense transcripts homolog (yeast); regulator of nonsense transcripts 1 , RENT1; regulator of nonsense transcripts 1; HUPF1; KIAA0221; NORF1; pNORF1; smg 2; smg 2 homolog; nonsense mediated mRNA decay factor (C. elegans); UP Fram
Gene ID	5976
mRNA Refseq	NM_002911

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq	NP_002902
MIM	601430
Uniprot ID	Q92900
Chromosome Location	19p13.2-p13.11
Pathway	Exon junction complex (EJC), organism-specific biosystem; Metabolism, organism-specific biosystem; Metabolism of RNA, organism-specific biosystem; Metabolism of mRNA, organism-specific biosystem; Nonsense Mediated Decay Enhanced by the Exon Junction Complex, organism-specific biosystem;
Function	ATP binding; ATP-dependent RNA helicase activity; DNA binding; RNA binding; chromatin binding;

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA