

Recombinant Human BCKDHB Protein, GST-tagged

Cat. No. BCKDHB-137H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human BCKDHB full-length ORF (AAH40139, 1 a.a. - 392 a.a.) recombinant protein with GST-tag at N-terminal.
Species	Human
Source	Wheat Germ
Description	Branched-chain keto acid dehydrogenase is a multienzyme complex associated with the inner membrane of mitochondria, and functions in the catabolism of branched-chain amino acids. The complex consists of multiple copies of 3 components: branched-chain alpha-keto acid decarboxylase (E1), lipoamide acyltransferase (E2) and lipoamide dehydrogenase (E3). This gene encodes the E1 beta subunit, and mutations therein have been associated with maple syrup urine disease (MSUD), type 1B, a disease characterized by a maple syrup odor to the urine in addition to mental and physical retardation, and feeding problems. Alternative splicing at this locus results in transcript variants with different 3 non-coding regions, but encoding the same isoform.
Form	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.
Molecular Mass	68.86 kDa
AA Sequence	MAVVAAAAGWLLRLRAAGAEHWRRLPGAGLARGFLHPAATVEDAAQRRQVAHFT FQPDPEPREYGGTQKMNLFQSVTSALDNSLAKDPTAVIFGEDVAFGGVFRCTVGLR DKYGKDRVFNTPLCEQGIVGFGIGIAVTGATAIAEIQFADYIFPAFDQIVNEAAKYR

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SGDLFNCGLTIRSPWGCVGHGALYHSQSPEAFFAHCPGIKVVIPRSPFQAKRLLLS
 CIEDKNPCIFFEPKILYRAAAEEVPIEPYNIPLSQAEVIQEGSDVTLVAWGTQVHVIRE
 VASMAKEKLGVSCEVIDLRTIIPWDVDTICKSVIKTGRLISHEAPLTGGFASEISSTVQ
 EECFLNLEAPISRVCGYDTPFPHFEPFYIPDKWKCYDALRKMINY

Notes

Best use within three months from the date of receipt of this protein.

Storage

Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.

Storage Buffer

50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

GENE INFORMATION

Gene Name

BCKDHB branched chain keto acid dehydrogenase E1, beta polypeptide [Homo sapiens]

Official Symbol

BCKDHB

Synonyms

BCKDHB; branched chain keto acid dehydrogenase E1, beta polypeptide; 2-oxoisovalerate dehydrogenase subunit beta, mitochondrial; maple syrup urine disease; BCKDE1B; BCKDH E1-beta; 2-oxoisovalerate dehydrogenase beta subunit; E1b-beta subunit of the branched-chain complex; branched chain alpha-ketoacid dehydrogenase E1-beta subunit; branched-chain alpha-keto acid dehydrogenase E1 component beta chain; E1B; dJ279A18.1; FLJ17880;

Gene ID

594

mRNA Refseq

NM_000056

Protein Refseq

NP_000047

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MIM 248611

UniProt ID P21953



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA