

Recombinant Human Proopiomelanocortin, His-tagged

Cat. No. POMC-349H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human POMC protein, fused to His-tag at N-terminus, was expressed in E. coli and purified by using conventional chromatography techniques.
Species	Human
Source	Human
Description	Pro-opiomelanocortin preproprotein, also known as POMC, a polypeptide hormone precursor that undergoes extensive, tissue-specific, post-translational processing via cleavage by subtilisin-like enzymes known as prohormone convertases. It regulates the corticosteroid production in the adrenal cortex. Also, POMC is cleaved into ten hormone chains named NPP, gamma-MSH, ACTH, alpha-MSH, CLIP, Lipotropin beta, Lipotropin gamma, Beta-MSH, Beta-endorphin and Met-enkephalin. Defects in the gene that encodes POMC are the cause of POMC deficiency, which is characterized by red hair and adrenal insufficiency.
Concentration	0.25 mg/ml
Form	Supplied as a liquid in 20mM Tris-HCl buffer, pH 8.0, containing 1mM DTT, 50% glycerol and 0.2M NaCl.
Purity	> 85% by SDS-PAGE
Sequence	27-267 amino acids: MGSSHHHHHH SSGLVPRGSH MWCLESSQCQ DLTTESNLLC CIRACKPDLS AETPMFPGNG DEQPLTENPRKYVMGFHFRWD RFGRNSSSS

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

GSSGAGQKRE DVSAGEDCGP LPEGGPEPRS DGAKPGPREG
KRSYSMEHFRWGKPVGKKRR PVKVYPNGAE DESAEAFPLE FKRELTGQRL
REGDGPDGPA DDGAGAQADL EHSLLVAAEKKDE

Molecular Mass

28.9 kDa(262aa), confirmed by MALDI-TOF (molecular weight on SDS-PAGE will appear higher).

Applications

SDS-PAGE

Storage

Store at 4 deg C for short term storage (1/2 weeks). Aliquot and store at -20 deg C or -70 deg C for long term storage. Avoid repeated freeze/thaw cycles.

Official Symbol

POMC

GENE INFORMATION

Gene Name

POMC proopiomelanocortin [[Homo sapiens](#)]

Synonyms

POMC; proopiomelanocortin; LPH; MSH; NPP; POC; ACTH; CLIP; pro-opiomelanocortin; beta-LPH; beta-MSH; alpha-MSH; gamma-LPH; gamma-MSH; beta-endorphin; met-enkephalin; lipotropin beta; lipotropin gamma; melanotropin beta; melanotropin alpha; melanotropin gamma; OTTHUMP00000119991; pro-ACTH-endorphin; polypeptide; preproprotein; OTTHUMP00000200964; OTTHUMP00000200965; OTTHUMP00000200966; adrenocorticotropin corticotropin-lipotropin; adrenocorticotrophic hormone; corticotropin-like intermediary peptide; beta-melanocyte-stimulating hormone; alpha-melanocyte-stimulating hormone

Gene ID

[5443](#)

mRNA Refseq

[NM_000939](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq	NP_000930
MIM	176830
UniProt ID	P01189
Chromosome Location	2p23.3
Pathway	Adipocytokinesignaling pathway; Class A/1 (Rhodopsin-like receptors); G alpha (i)signalling events; G alpha (s) signalling events; G-protein activation; GPCRdownstream signaling; GPCR ligand binding; Melanogenesis; Metabolism of aminoacids and derivatives; Opioid Signalling; Peptide hormone biosynthesis;Signaling by GPCR; Syndecan-3-mediated signaling events
Function	G-protein-coupledreceptor binding; hormone activity; receptor binding; type 1 melanocortinreceptor binding; type 2 melanocortin receptor binding; type 3 melanocortinreceptor binding; type 4 melanocortin receptor binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA