

Active Recombinant Human IL2RA

Cat. No. IL2RA-4951H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human IL2RA was expressed in insect cells.
Species	Human
Source	Insect Cells
Description	The interleukin 2 (IL2) receptor alpha (IL2RA) and beta (IL2RB) chains, together with the common gamma chain (IL2RG), constitute the high-affinity IL2 receptor. Homodimeric alpha chains (IL2RA) result in low-affinity receptor, while homodimeric beta (IL2RB) chains produce a medium-affinity receptor. Normally an integral-membrane protein, soluble IL2RA has been isolated and determined to result from extracellular proteolysis. Alternately-spliced IL2RA mRNAs have been isolated, but the significance of each is presently unknown. Mutations in this gene are associated with interleukin 2 receptor alpha deficiency.
Form	Lyophilized from PBS. Reconstitute with PBS, pH 7.2 to a concentration of 0.1 - 1.0 mg/ml.
Bio-activity	Determined by its ability to increase the proliferation effect of IL-2 in Mouse CTLL-2 cells. In the presence of 1 ng/ml of recombinant IL-2, the expected ED50 for this effect is between 0.5 - 1.5 ug/ml.
Molecular Mass	31 kDa
AA Sequence	ELCDDDPPEI PHATFKAMAY KEGTMLNCEC KRGFRRIKSG SLYMLCTGNS

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SHSSWDNQCQ CTSSATRNTT KQVTPQPEEQ KERKTTEMQS PMQPVDQASL
PGHCREPPPW ENEATERIYH FVVGQMVYYQ CVQGYRALHR GPAESVCKMT
HGKTRWTQPQ LICTGEMETS QFPGEEKPQA SPEGRPESET SCLVTTTDFQ
IQTEMAATME TSIFTTEYQ.

Endotoxin	Endotoxin level is less than 0.1 ng per ug (1 EU/ug).
Purity	> 98% pure
Applications	User optimized
Storage	Store at 4 deg C until reconstitution. Following reconstitution aliquot and freeze at -20 deg C for long term storage. Avoid repeated freeze/thaw cycles.

GENE INFORMATION

Gene Name	IL2RA interleukin 2 receptor, alpha [Homo sapiens (human)]
Official Symbol	IL2RA
Synonyms	IL2RA; interleukin 2 receptor, alpha; IL2R; interleukin-2 receptor subunit alpha; CD25; TAC antigen; IL-2R subunit alpha; IL-2 receptor subunit alpha
Gene ID	3559
mRNA Refseq	NM_000417
Protein Refseq	NP_000408
MIM	147730

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID	P01589
Chromosome Location	10p15-p14
Pathway	Arf6 trafficking events; Calcineurin-regulated NFAT-dependent transcription in lymphocytes; Cytokine-cytokine receptor interaction
Function	drug binding; interleukin-2 binding; interleukin-2 receptor activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA