

Native Human Apolipoprotein B (including Ag(x) antigen)

Cat. No. APOB-613H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Native human APOB was expressed in human plasma. Its molecular weight is 550000 Dalton.
Species	Human
Source	Human Plasma
Description	APOB is the dominant protein constituent of LDL. The concentration of Apo B in normal plasma is 90 mg per 100 ml. APOB is thought to stabilize lipid emulsions, serve as a cofactor and modulator of enzymatic reactions, manage export of lipids out of cells and direct lipids to target organs. APOB levels are positively correlated with the risk of coronary disease. Apo B levels may be a more sensitive predictor of cardiovascular risk than LDL levels and do not involve fasting for accurate measurement. Two forms of Apo B exist: Apo B-100 and Apo B-48. The first is found in VLDL and LDL and is produced by the liver. The second is found in chylomicrons and originates in the intestine. Prepared from fresh, non-frozen plasma shown to be non reactive for HbsAG, anti-HCV, anti-HBc, and negative for anti-HIV 1 & 2 by FDA approved tests. Add deionized water to original volume, aliquot and freeze unused portion.
Form	Lyophilized powder in 0.01 M Sodium Deoxycholate, 0.05 M Sodium Carbonate, 0.05 M.
Concentration	Lyophilized

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

MolecularWeight	550 kDa
Purity	> 95 percent pureby SDS-PAGE
Storage	When stored at -80°Cproduct is stable for 3 years from date of delivery. Avoid repeatedfreeze-thaw cycles.
OfficialSymbol	APOB
GENE INFORMATION	
Gene Name	APOB apolipoprotein B (includingAg(x) antigen) [Homo sapiens]
Synonyms	APOB; apolipoproteinB (including Ag(x) antigen); FLDB; LDLCQ4; apolipoprotein B-100; apoB-48;apoB-100; apo B-100; mutant Apo B 100; apolipoprotein B48; ApolipoproteinB-100; OTTHUMP00000115994; Apo B-48
Gene ID	338
mRNA Refseq	NM_000384
Protein Refseq	NP_000375
MIM	107730
UniProt ID	P04114
Chromosome Location	2p24-p23
Pathway	Cellsurface interactions at the vascular wall; Chylomicron-mediated lipidtransport; FOXA1 transcription factor network; Fat digestion and absorption;Formation of

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA



Platelet plug; LDL-mediated lipid transport; Lipoprotein metabolism; Vitamin digestion and absorption; Platelet Activation; $\alpha 2$ Integrin signaling

Function

cholesterol transporter activity; enzyme binding; heparin binding; lipid transporter activity; low-density lipoprotein particle receptor binding; phospholipid binding; protein heterodimerization activity

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA