

Recombinant Human PPBP Protein, His-tagged

Cat. No. PPBP-517H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human PPBP(Ala59~Asp128) fused with His tag at N-terminal was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	Ala59~Asp128
Description	The protein encoded by this gene is a platelet-derived growth factor that belongs to the CXC chemokine family. This growth factor is a potent chemoattractant and activator of neutrophils. It has been shown to stimulate various cellular processes including DNA synthesis, mitosis, glycolysis, intracellular cAMP accumulation, prostaglandin E2 secretion, and synthesis of hyaluronic acid and sulfated glycosaminoglycan. It also stimulates the formation and secretion of plasminogen activator by synovial cells. The protein also is an antimicrobial protein with bactericidal and antifungal activity.
Form	PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
Molecular Mass	11.2kDa
Identity	Reconstitute in PBS or others
Endotoxin	<1.0EU per 1g (determined by the LAL method)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 95%
Applications	Positive Control; Immunogen; SDS-PAGE; WB. If bio-activity of the protein is needed, please check active protein
Stability	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 centigrade for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Storage	Avoid repeated freeze/thaw cycles. Store at 2-8 centigrade for one month. Aliquot and store at -80 centigrade for 12 months.
Reconstitution	Reconstitute in PBS or others

GENE INFORMATION

Gene Name	PPBP pro-platelet basic protein (chemokine (C-X-C motif) ligand 7) [Homo sapiens]
Official Symbol	PPBP
Synonyms	PPBP; pro-platelet basic protein (chemokine (C-X-C motif) ligand 7); THBGB1; platelet basic protein; b TG1; Beta TG; beta thromboglobulin; connective tissue activating peptide III; CTAP3; CTAPIII; CXCL7; LA PF4; LDGF; MDGF; NAP 2; NAP 2 L1; neutrophil activating peptide 2; PBP; SCYB7; TGB; TGB1; thrombocidin 1; thrombocidin 2; beta-thromboglobulin; CXC chemokine ligand 7; C-X-C motif chemokine 7; thromboglobulin, beta-1; small inducible cytokine B7; small-inducible cytokine B7; leukocyte-derived growth factor; low-affinity platelet factor IV; neutrophil-activating peptide 2; neutrophil-activating peptide-2; macrophage-derived growth factor; connective tissue-activating peptide III; small inducible cytokine subfamily B, member 7; TC1; TC2; B-TG1; NAP-2; THBGB; LA-PF4; SCAR10; Beta-TG; CTAP-III;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene ID	5473
mRNA Refseq	NM_002704
Protein Refseq	NP_002695
MIM	121010
UniProt ID	P02775

