

Recombinant Human DCTN2 Protein, GST-tagged

Cat. No. DCTN2-2411H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human DCTN2 full-length ORF (AAH00718.1, 1 a.a. - 401 a.a.) recombinant protein with GST-tag at N-terminal.
Species	Human
Source	Wheat Germ
Description	This gene encodes a 50-kD subunit of dynactin, a macromolecular complex consisting of 10-11 subunits ranging in size from 22 to 150 kD. Dynactin binds to both microtubules and cytoplasmic dynein. It is involved in a diverse array of cellular functions, including ER-to-Golgi transport, the centripetal movement of lysosomes and endosomes, spindle formation, chromosome movement, nuclear positioning, and axonogenesis. This subunit is present in 4-5 copies per dynactin molecule. It contains three short alpha-helical coiled-coil domains that may mediate association with self or other dynactin subunits. It may interact directly with the largest subunit (p150) of dynactin and may affix p150 in place. Multiple alternatively spliced transcript variants encoding distinct isoforms have been found for this gene. [provided by RefSeq, May 2012]
Molecular Mass	70.6 kDa
AA Sequence	MADPKYADLPGIARNEPDVYETSDLPEDDQAEFDAAEELTSTSVEHIIVNPNAAYDKFK DKRVGTKGLDFSDRIGKTKRTGYESGEYEMLGEGLGVKETPQQKYQRLLHEVQELT TEVEKIKTTVKESATEEKLTPVLLAKQLAALKQQLVASHLEKLLGPDAAINLTDPDGAL

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AKRLLLQLEATKNSKGGSGGKTTGTPPDSSLVTYELHSRPEQDKFSQAAKVAELEK
 RLTELETAVRCDQDAQNPLSAGLQGACLMETVELLQAKVSALDLAVLDQVEARLQS
 VLGKVNEIAKHKASVEDADTQSKVHQLYETIQRWSPIASTLPELVQRLVTIKQLHEQA
 MQFGQLLTHLDTTQQMIANSLKDNTLLTQVQTTMRENLATVEGNFASIDERMKKLG
 K

Applications

Enzyme-linked Immunoabsorbent Assay
 Western Blot (Recombinant protein)
 Antibody Production
 Protein Array

Notes

Best use within three months from the date of receipt of this protein.

Storage

Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.

Storage Buffer

50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

GENE INFORMATION

Gene Name

DCTN2 dynactin 2 (p50) [Homo sapiens]

Official Symbol

DCTN2

Synonyms

DCTN2; dynactin 2 (p50); dynactin subunit 2; DCTN 50; RBP50; p50 dynamitin;
 dynactin complex 50 kD subunit; dynactin complex 50 kDa subunit; 50 kD dynein-
 associated polypeptide; 50 kDa dynein-associated polypeptide; DCTN50;
 DYNAMITIN;

Gene ID

10540

mRNA Refseq

NM_006400

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq NP_006391

MIM 607376

UniProt ID Q13561

**Quality Control
Testing:**



12.5% SDS-PAGE Stained with Coomassie Blue.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA