

Recombinant Human Retinol Dehydrogenase 12 (all-trans/9-cis/11-cis), His-tagged

Cat. No. RDH12-1371H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinanthuman RDH12protein, fused to His-tag at N-terminus, was expressed in E.coli andpurified by using conventional chromatography techniques.
Species	Human
Source	E.coli
Description	RDH12 belongs to theshort-chain dehydrogenases /reductases (SDR) family. RDH12 is expressed,mostly in eye, kidney, brain, skeletal muscle and stomach. It is anNADPH-dependent retinal reductase whose highest activity is toward 9-cis andall-trans-retinol. RDH12 also plays a role in the metabolism of short-chainaldehydes but does not exhibit steroid dehydrogenase activity.
Form	Liquid. In 20 mMTris-HCl buffer (pH 8.0) containing 2 mM DTT, 40% glycerol, 0.2M NaCl.
Molecular Weight	33.5 kDa(303 aa), confirmed by MALDI-TOF.
Purity	> 90%by SDS-PAGE
Concentration	0.25mg/ml(determined by Bradford assay)
Sequences of aminoacids	MGSSHHHHHHSSGLVPRGSH MGSHMGKVVV ITGANTGIGK ETARELASRG ARVYIACRDVLKGESAASEI RVDTKNSQVL VRKLDLSDTK

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SIRAF AEGFLAEEKQLHILI NNAGVMMCPY SKTADGFETH LGVNH LGHFL
 LTYLLLERLK VSAPARVVNV SSVAHHIGKIPFHD LQSEKR YSRGFAYCHS
 KLANVLFTRE LAKRLQGTGV TTYAVHPGVV RSELVRHSSL
 LCLLWRLFSPFVK TAREGAQ TSLHCA LAEG LEPLSGKYFS
 DCKRTWVSPRARNNKTAERL WNVSCCELLGI RWE

Storage

Can bestored at +4°C short term (1-2 weeks). For long term storage, aliquot andstore at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

Pathways

Metabolicpathways; Retinol metabolism; Visual signal transduction; Vitamin A andcarotenoid metabolism

GENE INFORMATION

Gene Name

[RDH12 retinol dehydrogenase 12\(all-trans/9-cis/11-cis\) \[Homo sapiens \]](#)

Official Symbol

[RDH12](#)

Synonyms

RDH12; retinoldehydrogenase 12 (all-trans/9-cis/11-cis); LCA3; LCA13; SDR7C2;FLJ30273; retinoldehydrogenase 12; all-trans and 9-cis retinol dehydrogenase; retinoldehydrogenase 12, all-trans and 9-cis; short chain dehydrogenase/reductasefamily 7C, member 2

Gene ID

[145226](#)

mRNA Refseq

[NM_152443](#)

Protein Refseq

[NP_689656](#)

MIM

[608830](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID	Q96NR8
Chromosome Location	14q24.1
Function	binding;oxidoreductase activity; retinol dehydrogenase activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA