

Recombinant Human C-Type Lectin Domain Family 11, Member A

Cat. No. CLEC11A-1204H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human Stem CLEC11A contains 227 amino acid residues. Its molecular weight is 25000 Dalton.
Species	Human
Source	E.coli
Description	CLEC11A is a protein that in humans is encoded by the CLEC11A gene. CLEC11A encodes a member of the C-type lectin superfamily. The encoded protein is a secreted sulfated glycoprotein and functions as a growth factor for primitive hematopoietic progenitor cells. An alternative splice variant has been described but its biological nature has not been determined.
Form	Lyophilized from PBS, pH 7.3.
Molecular Weight	25.0 kDa
Purity	> 98% as determined by SDS-PAGE and HPLC analyses
Endotoxin Level	<0.1 ng/g of CLEC11A
Biological Activity	Determined by its inhibitory effect on the proliferation of TF-1 cells, previously grown in media containing GM-CSF. The ED50 for this effect is 7 ng/ml. For most in vitro applications, SCGF-β exerts its biological activity in the concentration range of 0.2 to

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	20.0 ng/ml.
Reconstitution	Centrifuge vial prior to opening. First add sterile distilled water to the vial to fully solubilize the protein to a concentration of 0.1-1.0 mg/ml. After complete solubilization of the protein, it can be further diluted into buffer containing carrier protein or medium containing serum. Please note that the addition of any carrier protein into this product may produce unwanted endotoxin. This depends upon the particular application employed.
Storage	Stable for 1 year in working aliquots at -80. Avoid repeated freeze-thaw cycles.
Official Symbol	CLEC11A
GENE INFORMATION	
Gene Name	CLEC11A C-type lectin domain family 11, member A [Homo sapiens]
Synonyms	CLEC11A; C-type lectin domain family 11, member A; P47; SCGF; LSLCL; CLECSF3; stem cell growth factor; Stem cell growth factor; Lymphocyte secreted C-type lectin; lymphocyte secreted long form of C-type lectin; C-type lectin superfamily member 3
Gene ID	6320
mRNA Refseq	NM_002975
Protein Refseq	NP_002966
MIM	604713
UniProt ID	Q9Y240

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	19q13.3
Function	ATP binding;creatine kinase activity; nucleotide binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA