

Recombinant Human CD209 Protein, GST-Tagged

Cat. No. CD209-0748H Lot. No. (See product label)

SPECIFICATION

Product Overview

Human CD209 full-length ORF (NP_066978.1, 1 a.a. - 404 a.a.) recombinant protein with GST-tag at N-terminal.

Species

Human

Source

Wheat Germ

Description

This gene encodes a transmembrane receptor and is often referred to as DC-SIGN because of its expression on the surface of dendritic cells and macrophages. The encoded protein is involved in the innate immune system and recognizes numerous evolutionarily divergent pathogens ranging from parasites to viruses with a large impact on public health. The protein is organized into three distinct domains: an N-terminal transmembrane domain, a tandem-repeat neck domain and C-type lectin carbohydrate recognition domain. The extracellular region consisting of the C-type lectin and neck domains has a dual function as a pathogen recognition receptor and a cell adhesion receptor by binding carbohydrate ligands on the surface of microbes and endogenous cells. The neck region is important for homo-oligomerization which allows the receptor to bind multivalent ligands with high avidity. Variations in the number of 23 amino acid repeats in the neck domain of this protein are rare but have a significant impact on ligand binding ability. This gene is closely related in terms of both sequence and function to a neighboring gene (GeneID 10332; often referred to as L-SIGN). DC-SIGN and L-SIGN differ in their ligand-binding properties and distribution. Alternative splicing results in multiple variants.[provided by RefSeq, Feb 2009]

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Molecular Mass	72.2 kDa
AA Sequence	MSDSKEPRLQQQLGLLEEEQLRGLGFRQTRGYKSLAGCLGHGPLVLQLLSFTLLAGLL VQVSKVPSSISQEQSRQDAIYQNLTQLKAAVGELSEKSKLQEIQELTQLKAAVGEL PEKSKLQEIQELTRLKAAVGELPEKSKLQEIQELTWLKAAVGELPEKSKMQEIQE LTRLKAAVGELPEKSKQQEIQELTRLKAAVGELPEKSKQQEIQELTRLKAAVGELP EKSKQQEIQELTQLKAAVERLCHPCPWEWTFQGNCFMSNSQRNWHDSITACK EVGAQLVVIKSAEEQNFLQLQSSRSNRFTWMGLSDLNQEQTWQWVDGSPLLPSFK QYWNRGEPNNVGEEDCAEFSGNGWNDDKCNLAKFWICKKSAASCSRDEEQFLSP APATPNPPPA
Applications	Enzyme-linked Immunoabsorbent Assay Western Blot (Recombinant protein) Antibody Production Protein Array
Storage	Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.
Storage Buffer	50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.


GENE INFORMATION

Gene Name	CD209 CD209 molecule [Homo sapiens]
Official Symbol	CD209
Synonyms	CD209; CD209 molecule; CD209 antigen; CDSIGN; CLEC4L; DC SIGN; DC SIGN1; HIV gp120-binding protein; C-type lectin domain family 4 member L; C-type lectin domain family 4, member L; dendritic cell-specific ICAM-3-grabbing non-integrin 1; dendritic cell-specific intracellular adhesion molecules (ICAM)-3 grabbing non- integrin; DC-SIGN; DC-SIGN1; MGC129965;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene ID	30835
mRNA Refseq	NM_001144893
Protein Refseq	NP_001138365
MIM	604672
UniProt ID	Q9NNX6
Quality Control Testing	 12.5% SDS-PAGE Stained with Coomassie Blue.