

Recombinant Human CDC16 Protein, GST-Tagged

Cat. No. CDC16-0902H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human CDC16 full-length ORF (AAH17244, 1 a.a. - 620 a.a.) recombinant protein with GST-tag at N-terminal.
Species	Human
Source	Wheat Germ
Description	The protein encoded by this gene functions as a protein ubiquitin ligase and is a component of the multiprotein APC complex. The APC complex is a cyclin degradation system that governs exit from mitosis by targeting cell cycle proteins for degradation by the 26S proteasome. Each component protein of the APC complex is highly conserved among eukaryotic organisms. This protein, and other APC complex proteins, contain a tetratricopeptide repeat (TPR) domain; a protein domain that is often involved in protein-protein interactions and the assembly of multiprotein complexes. Multiple alternatively spliced transcript variants, encoding distinct proteins, have been identified. [provided by RefSeq, Jan 2016]
Molecular Mass	93.83 kDa
AA Sequence	MNLERLRKRVRQYLDQQYQSALFWADKVASLSREEPQDIYWLAQCLYLTAQYHR AAHALRSRKLDKLYEACRYLAARCHYAAKEHQALDVLDMEEPINKRLEKYLKDES GFKDPSSDWEMSQSSIKSSICLLRGKIYDALDNRTLATYSYKEALKLDVYCFEAFDLL TSHHMLTAQEEKELLESPLSKLCNEEQELLRFLFENKLKKYNKPSSETVIPESVDGLQ ENLDVVVSLAERHYYNCDFKMCYKLTSVVMEKDPFHASCLPVGHTLVELNKANSELF

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

YLSHKLVDLYPSNPVSWFAVGCYYLMVGHKNEHARRYLSKATTLEKTYGPAWIAYG
 HSFAVESEHDQAMAAYFTAAQLMKGCHLPMLYIGLEYGLTNNSKLAERFFSQALSIA
 PEDPFVMHEVGVVAFQNGEWKTAEKWFLDALEKIKAIAGNEVTVDKWEPLNNLGHV
 CRKLKKYAEALDYHRQALVLIPQNASTYSAIGYIHSLMGNFENAVDYFHTALGLRRD
 DTFSVTMLGHCIEMYIGDSEAYIGADIKDKLCYDFDVHTMKTCLKNIISPPWDFREFE
 VEKQTAEETGLTPLETSRKTPDSRPSLEETFEIEMNESDMMLETSMSDHST

Applications

Enzyme-linked Immunoabsorbent Assay
 Western Blot (Recombinant protein)
 Antibody Production
 Protein Array

Storage

Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.

Storage Buffer

50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

GENE INFORMATION

Gene Name

CDC16 cell division cycle 16 homolog (*S. cerevisiae*) [*Homo sapiens*]

Official Symbol

CDC16

Synonyms

CDC16; cell division cycle 16 homolog (*S. cerevisiae*); CDC16 (cell division cycle 16, *S. cerevisiae*, homolog), CDC16 cell division cycle 16 homolog (*S. cerevisiae*); cell division cycle protein 16 homolog; ANAPC6; anaphase promoting complex; subunit 6; APC6; CUT9; CDC16Hs; cyclosome subunit 6; anaphase-promoting complex subunit 6; anaphase-promoting complex, subunit 6;

Gene ID

8881

mRNA Refseq

NM_001078645

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq NP_001072113

MIM 603461

UniProt ID Q13042

**Quality Control
Testing**



12.5% SDS-PAGE Stained with Coomassie Blue.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA