

Active Recombinant Human IL2 Protein, His-tagged

Cat. No. IL2-636H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human IL2 (133 a.a.) full-length recombinant protein with His tag expressed in Barley grain (<i>Hordeum vulgare</i>).
Species	Human
Source	Plants
Description	This gene is a member of the interleukin 2 (IL2) cytokine subfamily which includes IL4, IL7, IL9, IL15, IL21, erythropoietin, and thrombopoietin. The protein encoded by this gene is a secreted cytokine produced by activated CD4+ and CD8+ T lymphocytes, that is important for the proliferation of T and B lymphocytes. The receptor of this cytokine (IL2R) is a heterotrimeric protein complex whose gamma chain is also shared by IL4 and IL7. The expression of this gene in mature thymocytes is monoallelic, which represents an unusual regulatory mode for controlling the precise expression of a single gene. The targeted disruption of a similar gene in mice leads to ulcerative colitis-like disease, which suggests an essential role of this gene in the immune response to antigenic stimuli.
Form	Lyophilized
Bio-activity	Bioactivity of recombinant human IL2 is assayed by measuring its dose dependent effect on proliferation of CTLL-2 cells. The ED50 for this effect is typically < 0.25 ng/mL, corresponding to a specific activity > 4×10 ⁶ U/mg.
Endotoxin	< 0.005

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	ng/μg protein (0.05 EU/μg) as measured by turbidimetric kinetic assay
Purity	> 98% by SDS-PAGE
Applications	Western Blot (Recombinant protein) Functional Study SDS-PAGE
Storage	Store at -20 centigrade on dry atmosphere. After reconstitution with sterile water to a concentration of no less than 100 μg/mL, store at -20 centigrade. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Aliquot to avoid repeated freezing and thawing.
Concentration	100 μg/mL
Storage Buffer	Lyophilized from PBS, pH 7.2
Reconstitution	Sterile water

GENE INFORMATION

Gene Name	IL2 interleukin 2 [Homo sapiens (human)]
Official Symbol	IL2
Synonyms	IL2; interleukin 2; IL-2; TCGF; lymphokine; interleukin-2; T cell growth factor; aldesleukin; involved in regulation of T-cell clonal expansion
Gene ID	3558

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


mRNA Refseq [NM_000586](#)

Protein Refseq [NP_000577](#)


MIM [147680](#)

UniProt ID [P60568](#)

Result of activity analysis



SDS-PAGE Stained with Coomassie Blue



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA