

Active Recombinant Human CDK7 Protein, GST-Tagged

Cat. No. CDK7-1036H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Human CDK7 (NP_001790.1, 1 a.a. - 346 a.a.) and CCNH (NP_001230.1, 1 a.a. - 323 a.a.) and MNAT1 (NP_002422.1, 1 a.a. - 309 a.a.) full-length recombinant protein with GST tag expressed in baculovirus infected Sf21 cells.
Species	Human
Source	Insect Cells
Description	The protein encoded by this gene is a member of the cyclin-dependent protein kinase (CDK) family. CDK family members are highly similar to the gene products of <i>Saccharomyces cerevisiae</i> cdc28, and <i>Schizosaccharomyces pombe</i> cdc2, and are known to be important regulators of cell cycle progression. This protein forms a trimeric complex with cyclin H and MAT1, which functions as a Cdk-activating kinase (CAK). It is an essential component of the transcription factor TFIIF, that is involved in transcription initiation and DNA repair. This protein is thought to serve as a direct link between the regulation of transcription and the cell cycle. [provided by RefSeq, Jul 2008]
Form	Liquid
Bio-activity	The activity was measured by off-chip mobility shift assay. The enzyme was incubated with fluorescence-labeled substrate and Mg (or Mn)/ATP. The phosphorylated and unphosphorylated substrates were separated and detected by LabChip 3000.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	Substrate: CTD3 peptide. ATP: 100 µM.
Molecular Mass	66 kDa
Purity	99 % by SDS-PAGE/CBB staining
Applications	Functional Study SDS-PAGE
Storage	Store at -80 centigrade. Aliquot to avoid repeated freezing and thawing.
Storage Buffer	In 50 mM Tris-HCl, 150 mM NaCl, pH 7.5 (0.1% CHAPS, 1 mM DTT, 10% glycerol)
GENE INFORMATION	
Gene Name	CDK7 cyclin-dependent kinase 7 [Homo sapiens]
Official Symbol	CDK7
Synonyms	CDK7; cyclin-dependent kinase 7; cyclin dependent kinase 7 (homolog of Xenopus MO15 cdk activating kinase), cyclin dependent kinase 7 (MO15 homolog, Xenopus laevis, cdk activating kinase); CAK; CAK1; CDKN7; MO15; STK1; p39 Mo15; protein kinase; 39 KDa protein kinase; kinase subunit of CAK; CDK-activating kinase 1; serine/threonine kinase stk1; cell division protein kinase 7; serine/threonine protein kinase 1; serine/threonine-protein kinase 1; serine/threonine protein kinase MO15; homolog of Xenopus MO15 Cdk-activating kinase; TFIIH basal transcription factor complex kinase subunit; cyclin-dependent kinase 7 (MO15 homolog, Xenopus laevis, cdk-activating kinase); HCAK; p39MO15;
Gene ID	1022

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


mRNA Refseq [NM_001799](#)

Protein Refseq [NP_001790](#)


MIM [601955](#)

UniProt ID [P50613](#)

Result of activity analysis



Quality Control Testing



Loading 1 µg protein in SDS-PAGE

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA